

Measurements in millimetres mm




Information updated February 2021

Tel 0345 873 8840



crosswater[™]

OPTIX 10


PIVOT DOOR WITH IN LINE PANEL



Left Hand



Right Hand





Toughened Glass
Strong and safe




Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



Brushed Brass






Polished Stainless



Brushed Stainless




CODE	COLOUR	ADJUSTMENT	DOOR OPENING	Width	Height
		mm	mm	mm	mm
OXPDFC0800	Brushed Brass	760-785	500	800	2000
OXPDSC0800	Polished Stainless Steel	760-785	500	800	2000
OXPDVC0800	Brushed Stainless Steel	760-785	500	800	2000

800 mm door and 800 side panel



Left Hand

800 mm door and 900 side panel



Right Hand



Toughened Glass
Strong and safe




Protective Finish
Easy to clean




Lifetime Guarantee
Peace of mind


800 mm door and 800 side panel



800 mm door and 900 side panel



Brushed Brass



Polished Stainless





















Brushed Stainless

CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm

OXPDFC0800	Brushed Brass	760-785	500	800	2000
OXPDSC0800	Polished Stainless Steel	760-785	500	800	2000
OXPDVC0800	Brushed Stainless Steel	760-785	500	800	2000


CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	SIDE PANEL COLOUR	mm	mm	mm	mm








OXPDSPFC0800	Brushed Brass	775-795	NA	800	2000
OXPDSPSC0800	Polished Stainless Steel	775-795	NA	800	2000
OXPDSPVC0800	Brushed Stainless Steel	775-795	NA	800	2000
OXPDSPFC0900	Brushed Brass	875-895	NA	900	2000
OXPDSPSC0900	Polished Stainless Steel	875-895	NA	900	2000
OXPDSPVC0900	Brushed Stainless Steel	875-895	NA	900	2000





Optix 10 Side Panel Pivot & Inline



- | | | |
|----------------------|---|----------------------------------|
| B
1 |  | Wall profile cap
x1 |
| B
2 |  | Wall profile
x1 |
| B
3 |  | Wall profile seal
x1 |
| B
4 |  | Side panel glass clamp
x1 |
| B
5 |  | Glass clamp screw cover
x1 |
| B
6 |  | Side panel
x1 |
| B
7 |  | Wall plug and 4x35mm screw
x4 |



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

Measurements in millimetres mm




Information updated February 2021

Tel 0345 873 8840



crosswater[™]

OPTIX 10


PIVOT DOOR WITH IN LINE PANEL



Left Hand



Right Hand





Toughened Glass
Strong and safe




Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



Brushed Brass






Polished Stainless



Brushed Stainless




CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm
OXPDFC0900	Brushed Brass	860-885	500	800	2000
OXPDSC0900	Polished Stainless Steel	860-885	500	800	2000
OXPDVC0900	Brushed Stainless Steel	860-885	500	800	2000

900 mm door and 800 side panel



Left Hand

900 mm door and 900 side panel



Right Hand



Toughened Glass
Strong and safe






Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

900 mm door and 800 side panel

900 mm door and 900 side panel



Brushed Brass



Polished Stainless



Brushed Stainless

CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm

OXPDFC0900	Brushed Brass	860-885	500	800	2000
------------	---------------	---------	-----	-----	------

OXPDSC0900	Polished Stainless Steel	860-885	500	800	2000
------------	--------------------------	---------	-----	-----	------

OXPDVC0900	Brushed Stainless Steel	860-885	500	800	2000
------------	-------------------------	---------	-----	-----	------

CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	SIDE PANEL COLOUR	mm	mm	mm	mm

OXPDSPFC0800	Brushed Brass	775-795	NA	800	2000
--------------	---------------	---------	----	-----	------



















OXPDSPSC0800	Polished Stainless Steel	775-795	NA	800	2000
--------------	--------------------------	---------	----	-----	------

OXPDSPVC0800	Brushed Stainless Steel	775-795	NA	800	2000
--------------	-------------------------	---------	----	-----	------

OXPDSPFC0900	Brushed Brass	875-895	NA	900	2000
--------------	---------------	---------	----	-----	------


OXPDSPSC0900	Polished Stainless Steel	875-895	NA	900	2000
--------------	--------------------------	---------	----	-----	------








OXPDSPVC0900	Brushed Stainless Steel	875-895	NA	900	2000
--------------	-------------------------	---------	----	-----	------





Optix 10 Side Panel Pivot & Inline



- B 1**  Wall profile cap x1
- B 2**  Wall profile x1
- B 3**  Wall profile seal x1
- B 4**  Side panel glass clamp x1
- B 5**  Glass clamp screw cover x1
- B 6**  Side panel x1
- B 7**  Wall plug and 4x35mm screw x4



Toughened Glass
Strong and safe





Protective Finish
Easy to clean





Lifetime Guarantee
Peace of mind



OPTIX 10
PIVOT DOOR WITH IN LINE PANEL



Left Hand



Right Hand





Toughened Glass
Strong and safe




Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



Brushed Brass






Polished Stainless



Brushed Stainless




CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm
OXPDFC1000	Brushed Brass	960-985	600	800	2000
OXPDSC1000	Polished Stainless Steel	960-985	600	800	2000
OXPDVC1000	Brushed Stainless Steel	960-985	600	800	2000

1000 mm door and 800 side panel



Left Hand

1000 mm door and 900 side panel



Right Hand



Toughened Glass
Strong and safe




Protective Finish
Easy to clean





Lifetime Guarantee
Peace of mind

1000 mm door and 800 side panel



1000 mm door and 900 side panel



Brushed Brass



Polished Stainless





















Brushed Stainless

CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm

OXPDFC1000	Brushed Brass	960-985	600	800	2000
OXPDSC1000	Polished Stainless Steel	960-985	600	800	2000
OXPDVC1000	Brushed Stainless Steel	960-985	600	800	2000


CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	SIDE PANEL COLOUR	mm	mm	mm	mm








OXPDSPFC0800	Brushed Brass	775-795	NA	800	2000
OXPDSPSC0800	Polished Stainless Steel	775-795	NA	800	2000
OXPDSPVC0800	Brushed Stainless Steel	775-795	NA	800	2000
OXPDSPFC0900	Brushed Brass	875-895	NA	900	2000
OXPDSPSC0900	Polished Stainless Steel	875-895	NA	900	2000
OXPDSPVC0900	Brushed Stainless Steel	875-895	NA	900	2000





Optix 10 Side Panel Pivot & Inline



- B 1**  Wall profile cap x1
- B 2**  Wall profile x1
- B 3**  Wall profile seal x1
- B 4**  Side panel glass clamp x1
- B 5**  Glass clamp screw cover x1
- B 6**  Side panel x1
- B 7**  Wall plug and 4x35mm screw x4



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

Measurements in millimetres mm



Information updated February 2021

Tel 0345 873 8840



crosswater[™]

OPTIX 10



PIVOT DOOR WITH IN LINE PANEL



Left Hand



Right Hand





Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



Brushed Brass





Polished Stainless



Brushed Stainless




CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm
OXPDFC1200	Brushed Brass	1160-1185	650	800	2000
OXPDSC1200	Polished Stainless Steel	1160-1185	650	800	2000
OXPDVC1200	Brushed Stainless Steel	1160-1185	650	800	2000

1200 mm door and 800 side panel



Left Hand

1200 mm door and 900 side panel



Right Hand



Toughened Glass
Strong and safe




Protective Finish
Easy to clean





Lifetime Guarantee
Peace of mind

1200 mm door and 800 side panel



1200 mm door and 900 side panel



Brushed Brass






















Polished Stainless



Brushed Stainless


CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm
OXPDFC1200	Brushed Brass	1160-1185	650	800	2000
OXPDSC1200	Polished Stainless Steel	1160-1185	650	800	2000
OXPDVC1200	Brushed Stainless Steel	1160-1185	650	800	2000








CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	SIDE PANEL COLOUR	mm	mm	mm	mm
OXPDSPFC0800	Brushed Brass	775-795	NA	800	2000
OXPDSPSC0800	Polished Stainless Steel	775-795	NA	800	2000
OXPDSPVC0800	Brushed Stainless Steel	775-795	NA	800	2000
OXPDSPFC0900	Brushed Brass	875-895	NA	900	2000
OXPDSPSC0900	Polished Stainless Steel	875-895	NA	900	2000
OXPDSPVC0900	Brushed Stainless Steel	875-895	NA	900	2000





Optix 10 Side Panel Pivot & Inline



- B 1**  Wall profile cap x1
- B 2**  Wall profile x1
- B 3**  Wall profile seal x1
- B 4**  Side panel glass clamp x1
- B 5**  Glass clamp screw cover x1
- B 6**  Side panel x1
- B 7**  Wall plug and 4x35mm screw x4



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind

Measurements in millimetres mm



Information updated February 2021

Tel 0345 873 8840



crosswater[™]

OPTIX 10



PIVOT DOOR WITH IN LINE PANEL



Left Hand



Right Hand





Toughened Glass
Strong and safe




Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind



Brushed Brass





Polished Stainless



Brushed Stainless




CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm
OXPDFC1400	Brushed Brass	1360-1385	650	800	2000
OXPDSC1400	Polished Stainless Steel	1360-1385	650	800	2000
OXPDVC1400	Brushed Stainless Steel	1360-1385	650	800	2000

1400 mm door and 800 side panel



Left Hand

1400 mm door and 900 side panel



Right Hand



Toughened Glass
Strong and safe




Protective Finish
Easy to clean




Lifetime Guarantee
Peace of mind

1400 mm door and 800 side panel




















1400 mm door and 900 side panel




CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	COLOUR	mm	mm	mm	mm
OXPDFC1400	Brushed Brass	1360-1385	650	800	2000
OXPDSC1400	Polished Stainless Steel	1360-1385	650	800	2000
OXPDVC1400	Brushed Stainless Steel	1360-1385	650	800	2000








CODE	PIVOT DOOR WITH IN LINE	ADJUSTMENT	DOOR OPENING	Width	Height
	SIDE PANEL COLOUR	mm	mm	mm	mm
OXPDSPFC0800	Brushed Brass	775-795	NA	800	2000
OXPDSPSC0800	Polished Stainless Steel	775-795	NA	800	2000
OXPDSPVC0800	Brushed Stainless Steel	775-795	NA	800	2000
OXPDSPFC0900	Brushed Brass	875-895	NA	900	2000
OXPDSPSC0900	Polished Stainless Steel	875-895	NA	900	2000
OXPDSPVC0900	Brushed Stainless Steel	875-895	NA	900	2000





Optix 10 Side Panel Pivot & Inline



- | | | |
|----------------------|---|----------------------------------|
| B
1 |  | Wall profile cap
x1 |
| B
2 |  | Wall profile
x1 |
| B
3 |  | Wall profile seal
x1 |
| B
4 |  | Side panel glass clamp
x1 |
| B
5 |  | Glass clamp screw cover
x1 |
| B
6 |  | Side panel
x1 |
| B
7 |  | Wall plug and 4x35mm screw
x4 |



Toughened Glass
Strong and safe



Protective Finish
Easy to clean



Lifetime Guarantee
Peace of mind