

SPECIFICATION SHEET

COLLECTION: ALTITUDE

PRODUCT CODE: TAB-1721/WO-ALT-CP



DESCRIPTION:

Tablet iO Altitude

- 2 outlet thermostatic shower valve with integrated outlet, handset and hose and all-flow function
 - Nebula 300mm round head and shower arm
- thermostatic cartridge C-704-34S
diverter cartridge FL-802-33/2MX
minimum operating pressure 1.0 bar MP
kit comprises:
TAB-148/2WO-ALT-CP
NEB-RO/30-SA-CP
2 x 3/4" female inlets
1 x 3/4" female outlet, 1 x 1/2" male outlet
includes 3/4" - 1/2" adaptors
supplied with mortar/tile guard
min-max wall mount 75-100mm
optimum installation depth 87mm

FINISH:

Chrome

MINIMUM OPERATING PRESSURE:

1.0 bar MP



SPECIFICATION SHEET

COLLECTION: ALTITUDE

PRODUCT CODE: TAB-148/2WO-ALT-CP



DESCRIPTION:

Tablet 10 Altitude with integrated single function round mini kit, 2 outlet 2 handle vertical concealed thermostatic shower valve with all-flow function - 1.0 bar MOP to operate thermostatic cartridge C-704-34S diverter cartridge FL-802-33/2MX 2 x 3/4" female inlets 1 x 3/4" female outlet, 1 x 1/2" male outlet includes 3/4" - 1/2" adaptors supplied with mortar/tile guard min-max wall mount 75-100mm optimum installation depth 87mm minimum operating pressure 0.2 bar LP (shower) 1.0 bar MP (bath)

FINISH:

Chrome

FLOW REGULATOR:

FR-SHOWER/9-C/P

MINIMUM OPERATING PRESSURE:


0.2 bar LP (shower) 1.0 bar MP (bath)

FLOW RATE AT 3.0 BAR FLOW PRESSURE:

outlet 1 24.2 outlet 2 (handset) 14.6 both 29.6 l/min




Flow Rates



TECHNICAL DRAWING

COLLECTION: ALTITUDE

PRODUCT CODE: TAB-148/2W0-ALT-CP



SPECIFICATION SHEET

COLLECTION: NEBULA

PRODUCT CODE: NEB-RO/30-SA-CP



DESCRIPTION:

Nebula
round single function shower head
with shower arm
wall mounted
300mm (12") diameter
minimum operating pressure 0.2 bar LP

FINISH:


Chrome

MINIMUM OPERATING PRESSURE:

1.0 bar MP



COLLECTION: NEBULA
PRODUCT CODE: NEB-RO/30-SA-CP



where inspiration flows
taps | showering | accessories

