SPECIFICATION SHEET

COLLECTION: KNURLED ACCENTS PRODUCT CODE: IND-T148/2-BRGK



DESCRIPTION:

knurled Accents Tablet
2 outlet 2 handle
vertical concealed thermostatic shower valve
with all-fl ow function
thermostatic cartridge V-704-34S
diverter cartridge FL-802-33/2MX
2 x 3/4" female inlets
2 x 3/4" female outlets
includes 3/4" - 1/2" adaptors
tile-to mortar guard included
min-max wall mount 75-100mm
optimum installation depth 87mm
minimum operating pressure
0.2 bar LP (shower) 1.0 bar MP (bath)

FINISH:


Brushed Gold

MINIMUM OPERATING PRESSURE:

0.2 bar LP (shower) 1.0 bar MP (bath)

FLOW RATE AT 3.0 BAR FLOW PRESSURE:

32 L/min






tel: 01934 744466 email: sales@vado.com www.vado.com





TECHNICAL DRAWING

COLLECTION: KNURLED ACCENTS **PRODUCT CODE:** IND-T148/2-BRGK



tel: 01934 744466 email: sales@vado.com www.vado.com



SPECIFICATION SHEET

COLLECTION: KNURLED ACCENTS **PRODUCT CODE:** IND-T148/2-H-BRGK



DESCRIPTION:

Tablet Knurled Accents 2 outlet 2 handle horizontal concealed thermostatic shower valve with all-flow function thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX 2 x 3/4" female inlets / 2 x 3/4" female outlets includes 3/4" - 1/2" adaptors supplied with mortar/tile guard min-max wall mount 75-100mm optimum installation depth 87mm minimum operating pressure 0.2 bar LP (shower) 1.0 bar MP (bath)

FINISH:


Brushed Gold

MINIMUM OPERATING PRESSURE:

0.2 bar LP (shower) 1.0 bar MP (bath)

FLOW RATE AT 3.0 BAR FLOW PRESSURE:

32 L/min





tel: 01934 744466 email: sales@vado.com www.vado.com



taps | showering | accessories

