PRODUCT DATA SHEET



PRODUCT CODE

ART6080

RANGE MIRROR

DESCRIPTION

Artist Illuminated Mirror 600mm x 800mm


MATERIAL	Glass & Aluminium
HANDLING/INSTALLATION	Wall Mounting
HANGING	Portait Only
LED WATTAGE	11.3W
DRIVER WATTAGE	15W
DE-MISTER WATTAGE	21.9W
TEMPERATURE CHANGING	Yes
COLOUR RANGE (K)	2700 - 6400
LUMINOUS EFFICACY (LM/W)	95
COLOUR RENDERING INDEX (RA)	85
ENERGY RATING	F
ENERGY RATING SWITCH TYPE	F Infra-Red Sensor
SWITCH TYPE	Infra-Red Sensor
SWITCH TYPE	Infra-Red Sensor 44
SWITCH TYPE IP RATING LIGHT TYPE	Infra-Red Sensor 44 LED
SWITCH TYPE IP RATING LIGHT TYPE CABLE LENGTH	Infra-Red Sensor 44 LED 1050mm EN60598
SWITCH TYPE IP RATING LIGHT TYPE	Infra-Red Sensor 44 LED 1050mm
SWITCH TYPE IP RATING LIGHT TYPE CABLE LENGTH	Infra-Red Sensor 44 LED 1050mm EN60598 EN60592
SWITCH TYPE IP RATING LIGHT TYPE CABLE LENGTH STANDARDS	Infra-Red Sensor 44 LED 1050mm EN60598 EN60592 EN62493

Part of the Bathroom Brands Group




TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified. Tolerances (per material type) apply.





SPARES DIAGRAM



Only the parts labelled are available as spares.

PRODUCT DATA SHEET



PRODUCT CODE

ART60100

RANGE MIRROR

DESCRIPTION

Artist Illuminated Mirror 600mm x 1000mm

MATERIAL	Glass & Aluminium
HANDLING/INSTALLATION	Wall Mounting
HANGING	Portait Only
LED WATTAGE	13W
DRIVER WATTAGE	15W
DE-MISTER WATTAGE	30W
TEMPERATURE CHANGING	Yes
COLOUR RANGE (K)	2700 - 6400
LUMINOUS EFFICACY (LM/W)	95
COLOUR RENDERING INDEX (RA)	85
ENERGY RATING	F
SWITCH TYPE	Infra-Red Sensor
IP RATING	44
LIGHT TYPE	
	LED
CABLE LENGTH	LED 1050mm
CABLE LENGTH	1050mm
	1050mm EN60598
CABLE LENGTH STANDARDS	1050mm
	1050mm EN60598 EN60592
STANDARDS	1050mm EN60598 EN60592 EN62493


Part of the Bathroom Brands Group

Lake View House, Rennie Drive, Dartford, Kent DA1 5FU | 0345 873 8840 | crosswater.co.uk




TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified. Tolerances (per material type) apply.





SPARES DIAGRAM



Only the parts labelled are available as spares.

V11022