TECHNICAL DATA SHEET

ISO Wall Mounted Basin Mixer

TBTS-34-1602 **Product Code**

Brass Body CuZn40Pb2, EN CW617N (equivalent to BS CZ122) Construction

Finishes Chrome plated to BS EN 248

Contemporary **Product Type**

Min. 0.2 bar, Max. 6.0 bar **Water Pressure**

Suitable for all plumbing systems **Plumbing Systems** Complies with BS5412, BS EN200 **Standards** Manufactured to comply with WRAS Certification 35mm Ceramic disc cartridge

Cartridge


Adjustable Slim Air **Aerator** EZ box: G 1/2" BSP **Fitting**

63 x 40 x 41cm / carton (5 boxes / carton); Box size: 39x37x12cm, **Packaging**

weight: 2.66kg/pcs

10 years against manufacturing faults (excluding serviceable parts). Guarantee





Flow Rates (Litres per minute)

System Pressure	0.1	0.2	0.3	0.5	1.0	1.5 Bar	2.0	3.0	4.0	5.0 Bar
	Bar	Bar	Bar	Bar	Bar		Bar	Bar	Bar	

-	4.0	7.5	10.0	12.3	13.5	-	17.5

The information contained on this page was correct at date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice.

