# **PRODUCT DATA SHEET**



#### PRODUCT CODE

GU0851SCW

#### **RANGE**

Guild

#### **DESCRIPTION**

Guild Basin 85cm 1TH White

111	

CATEGORY	Sanitaryware
WARRANTY DETAILS	Lifetime
COLOUR	Gloss White
FINISH APPLICATION	Glazed
PRIMARY MATERIAL	Fine Fire Clay
INSTALL TYPE	Wall Mounted
PRODUCT WIDTH MM	850
PRODUCT HEIGHT MM	233
PRODUCT DEPTH MM	550
PRODUCT NET WEIGHT KG	24.5
STANDARDS	EN 31:2011, EN 14688:2015


TAP HOLES	1TH
FIXINGS INCLUDED	No
OVERFLOW	Yes
BASIN WASTE SIZE	45mm



### **TECHNICAL DIMENSIONS**

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.






## **SPARES LIST**

Only the parts labelled are available as spares.
NO SPARES AVAILABLE

# **PRODUCT DATA SHEET**





#### PRODUCT CODE

GU0853SCW

#### **RANGE**

Guild

#### **DESCRIPTION**

Guild Basin 85cm 3TH White

CATEGORY	Sanitaryware
WARRANTY DETAILS	Lifetime
COLOUR	Gloss White
FINISH APPLICATION	Glazed
PRIMARY MATERIAL	Fine Fire Clay
INSTALL TYPE	Wall Mounted
PRODUCT WIDTH MM	850
PRODUCT HEIGHT MM	233
PRODUCT DEPTH MM	550
PRODUCT NET WEIGHT KG	24.5
STANDARDS	EN 31:2011, EN 14688:2015


TAP HOLES	ЗТН
FIXINGS INCLUDED	No
OVERFLOW	Yes
BASIN WASTE SIZE	45mm



## **TECHNICAL DIMENSIONS**

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.





## **SPARES LIST**

Only the parts labelled are available as spares.
NO SPARES AVAILABLE

# **PRODUCT DATA SHEET**





**RANGE**Guild

**DESCRIPTION**Guild Basin Stand 85cm Gold

|--|--|--|--|

CATEGORY	Sanitaryware
WARRANTY DETAILS	15 Years
COLOUR	Gold
FINISH APPLICATION	PVD
PRIMARY MATERIAL	Zinc Alloy
INSTALL TYPE	Wall Mounted
PRODUCT WIDTH MM	805
PRODUCT HEIGHT MM	770
PRODUCT DEPTH MM	488
PRODUCT NET WEIGHT KG	5.64
STANDARDS	ISO9001


FIXINGS INCLUDED	Yes
OVERFLOW	No



### **TECHNICAL DIMENSIONS**

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.





## **SPARES LIST**

Only the parts labelled are available as spares.
SPARES AVAILABLE UPON REQUEST