


## CERATHERM T25

**A7209AA**

CERATHERM T25 | Exposed shower system 315x1117 mm in chrome finish | Thermostatic function, Water & Energy savings, Safety stop, 12-litres per minute flow regulator

### Image & drawing



### General information

|                          |                       |
|--------------------------|-----------------------|
| Sub product type         | Exposed shower system |
| Brand                    | Ideal Standard        |
| Suite name               | CERATHERM T25         |
| Colour code              | AA                    |
| Colour description       | Chrome                |
| Surface finish effect    | glossy                |
| Height (mm)              | 1117                  |
| Width (mm)               | 315                   |
| Length / Projection (mm) | 492.5                 |
| EAN code                 | 4015413345798         |
| Net weight (kg)          | 3.40                  |

### Features



Thermostatic function



Water & Energy savings



Safety stop



12-litres per minute flow regulator

### Downloads

- [BIM-UK](#)
- [Declaration of Conformity](#)
- [Installation Guide](#)
- [Spare Parts List](#)

### Product standard & certifications

|                      |               |
|----------------------|---------------|
| ACS certificate name | 20 ACC LY 069 |
|----------------------|---------------|

### Product specifications

|                               |                              |
|-------------------------------|------------------------------|
| Thermostatic                  | Yes                          |
| Type of temperature control   | Thermostatic                 |
| Handle position               | Lateral                      |
| Type of handle                | Rotary knob                  |
| Handle application            | Volume & temperature control |
| Material of handle            | Plastic                      |
| With diverter unit            | Yes                          |
| Surface cover                 | chromium-plated              |
| SmartShine                    | Yes                          |
| With sliding set              | Yes                          |
| With hand shower              | Yes                          |
| With head shower              | Yes                          |
| With shower hose              | Yes                          |
| With soap dish                | No                           |
| With shelf                    | No                           |
| Material                      | Metal / Plastic              |
| Hand shower height adjustable | Yes                          |
| With side showers             | No                           |
| min. operating pressure (kPa) | 50                           |
| Adjustable fixing points      | Yes                          |



Ideal Standard

|                                               |                            |
|-----------------------------------------------|----------------------------|
| Headshower is depth-adjustable                | No                         |
| With S-couplings                              | No                         |
| PVD technology                                | No                         |
| Shower bar is vertically adjustable           | No                         |
| Easy-care surface IdealPlus                   | No                         |
| Max. flow rate at 300 kPa (l) for all outlets | 8/12                       |
| Max. flow rate at 300 kPa (l)                 | 12                         |
| Valve technology                              | PreciTherm<br>Thermostatic |
| Cartridge fixation                            | Thread ring                |
| Valve's nominal size                          | G3/8                       |

## Your local contact

### België • Belgique

Ideal Standard Produktions GmbH  
Ikaroslaan 18  
B-1930 Zaventem  
☎ +32 2 325 66 00  
✉ +32 2 325 66 01  
www.idealstandard.be

### България

Идеал Стандарт - Видима АД  
ул. "Марин Попов" 53  
гр. Севлиево, 5400  
☎ +359 885 938 880  
✉ office@idealstandard.com  
www.idealstandard.bg

### Česká republika

Ideal Standard s.r.o.  
Zemská 623  
41574 Teplice  
☎ +420 (0)-417-265 11  
✉ +420 (0)-417-265 15  
www.idealstandard.cz

### Hrvatska

Ideal Standard Hrvatska  
Lopatinečka ul. 8  
10000, Zagreb  
☎ +385 91 229 9304  
www.idealstandard.hr

### Danmark

Ideal Standard Skandinavia AS  
Tulipvej 1  
7100 Vejle (Denmark)  
☎ +45 758 410 10  
✉ +45 758 410 24  
www.idealstandard.dk

### Deutschland

Ideal Standard GmbH  
Euskirchener Straße 80  
53121 Bonn  
☎ +49 (0)228 521-0  
✉ +49 (0)228 521-241  
✉ idealstandard.de@idealstandard.com  
www.idealstandard.de

### Éire

Ideal Standard Éire  
2nd Floor, Unit 3103 Lake Drive Citywest  
Business Campus Tallaght Dublin 24 YXW2  
☎ +353 1 4564525  
www.idealstandard.ie

### España

Ideal Standard Iberia S.L.U  
Riera Principal Nr. 8  
08328 Alella (Barcelona - España)  
☎ +34 93 561 80 00  
www.idealstandard.es

### Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:  
Λ. Μεσογείων 265, 15451 Ν.  
Ψυχικό, Αθήνα  
☎ +2106790800  
www.idealstandard.gr

### France

Ideal Standard France - Siège social  
39Rue St. Sabin  
75011 Paris  
☎ +33 (0)1 49 38 81 34  
✉ sav.idealstandard@idealstandard.com  
(demandes techniques) /  
devis.chantier@idealstandard.com  
(demandes commerciales)  
www.idealstandard.fr

### Italia

Ideal Standard (Italia) Srl  
Via Giosuè Borsi 9  
20143 Milano, Italia  
☎ +39 (0)2 28881  
✉ info@idealstandard.it  
www.idealstandard.it

### Nederland

Ideal Standard Nederland BV  
Hambakenwetering 3  
5231 DD 's-Hertogenbosch  
☎ +31 (0)-77 355 08 08  
✉ +31 (0)-77 354 21 86  
www.idealstandard.nl

### Österreich

Ideal Standard GmbH  
Zweigniederlassung Österreich  
Erzherzog-Karl-Str. 131-135  
1220 Wien Österreich  
☎ +43 125 66 222-0  
✉ +43 125 66 222-625  
www.idealstandard.at

### Polska

Ideal Standard Polska  
Ul. Ostrowskiego 7  
53-238 Wrocław  
☎ +48 71 78 68 301  
www.idealstandard.po

### România


Ideal Standard Representative Office România  
Calea Victoriei 109, Etaj 1, Sector 1  
București, 010069  
☎ +40 746 050 408  
✉ officebucharest@idealstandard.com  
www.ideal-standard.ro

### Srbija


Ideal Standard - Vidima AD  
Drinčićeva br.19, I sprat, stan br.8  
11000 Beograd Srbija  
☎ +381 11 7138 058  
www.idealstandard.rs

### United Kingdom

Ideal Standard (UK) Ltd  
The Bathroom Works National Avenue  
Kingston Upon Hull  
HU5 4HS  
☎ +44 (0)-1482 346 461  
✉ +44 (0)-1482 445 886  
www.idealstandard.co.uk



## A7209AA - outlet series



We

Ideal Standard International NV

*name of manufacturer or representative established in the Community*

Corporate Village - Gent Building  
Da Vincilaan 2  
1935 Zaventem / Belgium

*full address*

*declare below our exclusive responsibility that the following products of sanitary tap ware:*

|         |                                          |
|---------|------------------------------------------|
| A4457AA | CERATHERM T25 SHR MXR EXPSD &WBWS - FR   |
| A7201AA | CT T25 BRAUSETHERMOSTAT AP               |
| A7201XG | CT T25 BRAUSETHERMOSTAT AP S.BLACK       |
| A7202AA | CERATHERM T25 SHR MXR EXP FIX KIT UK     |
| A7203AA | CT T25 BR.TH.IR 60CM 3F.HB DM. 100MM     |
| A7204AA | CT T25 BR.TH.IR 90CM 3F.HB DM. 100MM     |
| A7205AA | CERATHERM T25 SHR MXR EXP & SHS 600MM UK |
| A7206AA | CT T25 BADE THERMOSTAT AP                |
| A7207AA | CERATHERM T25 BSH MXR DMTD FIX KIT UK    |
| A7208AA | CT T25 D.SYST.KB DM. 200MM,3F. HB 100    |
| A7209AA | CERATHERM T25 SHR MXR EXPSD &WBWS UK     |
| A7544XG | CT T25 BADE THERMOSTAT AP S.BLACK        |
| A7545XG | CT T25 D.SYST.KB DM.200MM1F.HB100 S.B.   |
| A7546XG | CT T25 D.S.TELESK.KB20CM HB1F 100 S.B.   |
| A7569XG | CERATHERM T25 SHR MXR EX & SHS 600 UK    |
| A7571XG | CERATHERM T25 SHRSYS TH EXPSD SBLK       |
| A7586XG | CERATHERM T25 SHRSYS TH EXP STICK MBLK   |
| A7590AA | CT T25 BSH SHRSYS MXR AP CHROM           |
| A7627AA | CERATHERM T25 SHRSYS TH EXP HD/250       |
| A7698AA | CERATHERM T25 BSH TH DMTD LEGS & KIT CR  |
| A7701AA | CT T25 D.SYSTEM MIT TELESKOPFUNKTION     |
| BC748XG | CT T25 D.SYST.KB DM300MM STICK HB S.B.   |
| F1768AA | CERATHERM T25 SHR MXR EXPSD              |
| F1769AA | CERATHERM T25 SHR MXR EXPSD &WBWS        |

*name, type, model*

# DECLARATION OF CONFORMITY

*to which this declaration refers, conforms to the following regulations or other regulation documents:*

|             |            |              |            |             |            |
|-------------|------------|--------------|------------|-------------|------------|
| DIN EN 200  | 01/10/2008 | DIN EN 246   | 01/11/2003 | DIN EN 248  | 01/05/2017 |
| DIN EN 1111 | 01/09/2017 | DIN EN 1112  | 01/06/2008 | DIN EN 1113 | 01/06/2015 |
| DIN EN 1717 | 01/08/2011 | DIN EN 12164 | 01/11/2016 | DIN 4109-1  | 01/01/2018 |

All materials used in contact with drinking water are in accordance with KTW, ACS and WRAS requirements.

All metal components used in contact with drinking water are accordance to the UBA positive list from March 5<sup>th</sup>, 2019 (became German law April 10<sup>th</sup>, 2017).

*title and/or number and date of publication of the regulation and/or of other regulation documents*

Brussel, Belgium; February 28<sup>th</sup>, 2022

*Location; Date*



.....  
Bert Depiere  
*VP Fittings Category*