


CERATHERM T25

A7569XG

CERATHERM T25 | Exposed shower mixer 315x99x70 mm in matt black finish | Safety stop

Image & drawing



General information

Sub product type	Exposed shower mixer
Brand	Ideal Standard
Suite name	CERATHERM T25
Colour code	XG
Colour description	Matt Black
Surface finish effect	matt
Height (mm)	70
Width (mm)	315
Length / Projection (mm)	99
EAN code	4015413351652
Net weight (kg)	2.60

Features



Safety stop

Downloads

- [BIM-UK](#)
- [Declaration of Conformity](#)
- [Installation Guide](#)
- [Spare Parts List](#)

Product specifications

Amount of escutcheon(s)	2
Thermostatic	Yes
Type of temperature control	Manually operated
With handle(s)	Yes
Amount of handles	2
Handle position	Lateral
Type of handle	Rotary knob
Handle application	Volume & temperature control
Material of handle	Plastic
With escutcheon(s)	Yes
Shape of escutcheon(s)	Round
Body material	Brass
Surface cover	coated
With head shower	No
Shower hose connection thread	G 1/2
min. operating pressure (kPa)	50
With handshower set	No
With shower kit	Yes
With S-couplings	No
PVD technology	No
Easy-care surface IdealPlus	No
Max. flow rate at 300 kPa (l)	8
Valve technology	PreciTherm
	Ceramic valve
Water activation	Rotating
Cartridge fixation	Thread included

Valve's nominal size

G1/2G3/8

Your local contact

België • Belgique

Ideal Standard Produktions GmbH
Ikaroslaan 18
B-1930 Zaventem
☎ +32 2 325 66 00
✉ +32 2 325 66 01
www.idealstandard.be

България

Идеал Стандарт - Видима АД
ул. "Марин Попов" 53
гр. Севлиево, 5400
☎ +359 885 938 880
✉ office@idealstandard.com
www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemská 623
41574 Teplice
☎ +420 (0)-417-265 11
✉ +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska
Lopatinečka ul. 8
10000, Zagreb
☎ +385 91 229 9304
www.idealstandard.hr

Danmark

Ideal Standard Skandinavia AS
Tulipvej 1
7100 Vejle (Denmark)
☎ +45 758 410 10
✉ +45 758 410 24
www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
☎ +49 (0)228 521-0
✉ +49 (0)228 521-241
✉ idealstandard.de@idealstandard.com
www.idealstandard.de

Éire

Ideal Standard Éire
2nd Floor, Unit 3103 Lake Drive Citywest
Business Campus Tallaght Dublin 24 YXW2
☎ +353 1 4564525
www.idealstandard.ie

España

Ideal Standard Iberia S.L.U
Riera Principal Nr. 8
08328 Alella (Barcelona - España)
☎ +34 93 561 80 00
www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:
Λ. Μεσογείων 265, 15451 Ν.
Ψυχικό, Αθήνα
☎ +2106790800
www.idealstandard.gr

France

Ideal Standard France - Siège social
39Rue St. Sabin
75011 Paris
☎ +33 (0)1 49 38 81 34
✉ sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)
www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl
Via Giosuè Borsi 9
20143 Milano, Italia
☎ +39 (0)2 28881
✉ info@idealstandard.it
www.idealstandard.it

Nederland

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 's-Hertogenbosch
☎ +31 (0)-77 355 08 08
✉ +31 (0)-77 354 21 86
www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131-135
1220 Wien Österreich
☎ +43 125 66 222-0
✉ +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska
Ul. Ostrowskiego 7
53-238 Wrocław
☎ +48 71 78 68 301
www.idealstandard.po

România



Ideal Standard Representative Office România
Calea Victoriei 109, Etaj 1, Sector 1
București, 010069
☎ +40 746 050 408
✉ officebucharest@idealstandard.com
www.ideal-standard.ro

Srbija


Ideal Standard - Vidima AD
Drinčićeva br.19, I sprat, stan br.8
11000 Beograd Srbija
☎ +381 11 7138 058
www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
☎ +44 (0)-1482 346 461
✉ +44 (0)-1482 445 886
www.idealstandard.co.uk



A7569XX - outlet series



— Flow rate in mixed water position

Flow Rate calculated

1 Outlet	
Pressure [bar]	Flow rate [l/min]
0	0
0,1	1,7
0,25	3,4
0,5	5,3
1	7,25
1,5	7,84
2	7,64
2,5	7,51
3	7,48
3,5	7,56
4	7,68
4,5	7,76
5	7,82

