

SCAN to see the product on our website

BASIN & SINK TRAP

WIRQUIN NEO + NEO AIR

Lifetime guaranteed!

SAFE AND QUICK TO INSTALL.

LIFETIME GUARANTEE.
GUARANTEED NO LEAKS.
FASY TO CLEAN.



Safe and quick to install, **WIRQUIN NEO** is designed to satisfy all the installers and end users needs.

WIRQUIN NEO is a full range for all basin and sink installations, designed with innovative and patented functions.

Reliable thanks to overmoulded washers. Quick to install thanks to the quick safe function. **WIRQUIN NEO Air** - Innovative with the air system function.















WIRQUIN NEO + NEO AIR

BENEFITS



OVERMOULDED WASHERS

Bi-injection technology means that there can be no loss of washers as the washers are always in place! This means total protection against leaks!



QUICK-SAFE FUNCTION

1/4 turn captive nut with overmoulded washers: fast and reliable installation.



EASY CLEANING

Base is easy to dismantle (¼ turn opening)



OPTIONAL SPIGOT

With or without washing machine connection. (sink only)

Safe and quick to install, **WIRQUIN NEO** is designed to satisfy all the installers and end users needs.



overmoulded washers



auick safe function



easy to clean



optional spigot sink version




AIR SYSTEM Integrated Ventapipe

Prevents the suction of the water seal trap thanks to the membrane.

- ✓ ZERO Odours
- **✓ZERO** Noise
- ✓ ZERO Syphoning

Replaces the traditional ventapipe air admittance valve (AAV) by creating natural ventilation in the pipes




WiRquinInnovation

Wirquin NEO AIR SYSTEM with integrated ventapipe.

Replaces the traditional anti-vacuum by creating natural ventilation in the pipes

- > Blocks the rise of odours.
- > Prevents noise in waste pipes.
- >Allows natural ventilation in waste pipes with no risk of de-siphoning.



CHARACTERISTICS

a Overmoulded washers
 b Quarter-turn nut
 c Body
 d Quarter-turn base
 e Spigot option
 f Wirquin NEO AIR system









| | | 黑乙 | (1) | WC. | (0) | #C | |
|---------------------------------------|---|-----------------------------|--|----------------------|------------------------|-------------------------------|--|
| DESCRIPTION | 1 ¼" WIRQUIN NEO | 1 ¼" WIRQUIN NEO AIR | 1 ½" WIRQUIN NEO | 1 ½" WIRQUIN NEO AIR | 1 ½" WIRQUIN NEO + WMC | 1 ½" WIRQUIN NEO AIR + WMC | |
| REFERENCE | 30722167 | 30722169 / 30723762 | 30722166 | 30722168 | 30120429 | 30120439 | |
| DEPTH OF SEAL | 80 mm | 80 mm | 80 mm | 80 mm | 80 mm | 80 mm | |
| FLOW RATE (Under 15mm of water) | 55.2 L/mn | 55.2 L/mn | 55.2 L/mn | 55.2 L/mn | 59.9 L/mn | 59.9 L/mn | |
| Height | 175>235 mm | 175>235 mm | 175>235 mm | 175>235 mm | 211>259 mm | 211>259 mm | |
| TECHNICAL DRAWING | 21 54<114 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 21 G1,1/4 034,6-036,4 | 121 54<114 121 141 141 141 141 141 141 141 141 | G1,175 641-042,9 | 21 90<138 | G1"1/2 G1"1/2 641-042,9 | |

WIRQUIN NEO + NEO AIR

SAFE AND QUICK TO INSTALL.

LIFETIME GUARANTEE. GUARANTEED NO LEAKS. EASY TO CLEAN.











| Product name | Type | Reference | EAN code | Packaging | Multiple / Box Qty |
|--|-------|-----------|---------------|-----------|-----------------------|
| WIRQUIN NEO 1¼" | Basin | 30722167 | 3375537220908 | Film | 01/50 |
| WIRQUIN NEO AIR 1¼" | Basin | 30722169 | 3375537220922 | Film | 01/50 |
| WIRQUIN NEO AIR 1 1/4" COUNTER DISPLAY | Basin | 30723762 | 3375537236114 | N/A | 20 |
| WIRQUIN NEO 11/2" | Sink | 30722166 | 3375537220892 | Film | 01/50 |
| WIRQUIN NEO AIR 11/2" | Sink | 30722168 | 3375537220915 | Film | 01/50 |
| WIRQUIN NEO 11/2" with WMC | Sink | 30120429 | 5017134134223 | Bag | 01/14 |
| WIRQUIN NEO AIR 11/2" with WMC | Sink | 30120439 | 5017134134230 | Bag | 01/14 |





M030 - 02/2023