


CERAPLAN

BD221AA

CERAPLAN | Basin mixer 47x164x147 mm, 104 mm spout projection in chrome finish, 3.8 l/min (3 bar), with waste | EasyFix, Flow straightener, Click technology, EPD, FirmaFlow, SmartShine

Image & drawing









General information

Product type:	Washbasin mixers
Sub product type:	Basin mixer
Brand:	Ideal Standard
Suite name:	CERAPLAN
Designer:	Palomba Serafini Associati
Colour:	AA - Chrome
Surface finish effect:	glossy
Height (mm):	147
Width (mm):	47
Length / Projection (mm):	164
Fixing method:	EasyFix
Net weight (kg):	1.66
EAN code:	3800861103622

Suitable for balanced supplies. Inlets with flexible tails and connections for 15mm copper tubes. Fitted with a 5 litre per minute outlet flow regulator. Flow straightener also supplied for low pressure installations. Unregulated flow rate 4.4 litres per minute at 0.2 Bar. When installed in commercial applications a thermostatic blending valve must be used, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework).

Features

	EasyFix		Flow straightener
	Click technology		EPD
	FirmaFlow		SmartShine

Downloads

- [EPD](#)
- [Declaration of Conformity](#)
- [Installation Guide](#)
- [Spare Parts List](#)

Product standard & certifications

Additional standards: EN 248 | DIN 4109-1 | EN 817

Product specifications

Amount of handles:	1
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome
Cool Body technology:	No
Easy Fix technology:	Yes
FirmaFlow cartridge:	Yes
Handle position:	Top

CERAPLAN

BD221AA

CERAPLAN | Basin mixer 47x164x147 mm, 104 mm spout projection in chrome finish, 3.8 l/min (3 bar), with waste | EasyFix, Flow straightener, Click technology, EPD, FirmaFlow, SmartShine

Product specifications

Includes a chain eye:	No
Integrated electronics:	No
Low-pressure model:	No
Material:	Metal
Material of waste set:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	3.8
Max. flow rate at 3 bar (l) for all outlets:	3.8
Max. flow rate at 3 bar (l) for spout:	3.8
Max. operating pressure (bar):	10
Min. operating pressure (bar):	0.5
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Surface cover:	chromium-plated
Surface finish effect:	glossy
Tap outlet model:	Flow straightener
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Temperature limiter:	Yes
Touchless control:	No
Type of handle:	Lever
Compression set included:	Yes
With drain plug:	No
With escutcheon(s):	No
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	Yes
Fixing method:	EasyFix
Mounting method:	Tap hole

Your local contact:

België • Belgique

Ideal Standard Produktions-GmbH
Corporate Village - Frame 21 Building
Da Vincilaan 2
B-1935 Zaventem
☎ +32 2 325 66 00
✉ +32 2 325 66 01
www.idealstandard.be

България

Идеал Стандарт - Видима АД
ул. "Марин Попов" 53
гр. Севлиево, 5400
☎ +359 885 938 880
✉ office@idealstandard.com
www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemská 623
41574 Teplice
☎ +420 (0)-417-265 11
✉ +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska
Lopatinečka ul. 8
10000, Zagreb
☎ +385 91 229 9304
www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS
Fynsvej 9
5500 Middelfart (Denmark)
☎ +45 75 84 10 10
www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
☎ +49 (0)228 521-0
✉ +49 (0)228 521-241
✉ idealstandard.de@idealstandard.com
www.idealstandard.de

Éire

Ideal Standard Éire
2nd Floor, Unit 3103 Lake Drive Citywest
Business Campus Tallaght Dublin 24 YXW2
☎ +353 1 4564525
www.idealstandard.ie

España

Ideal Standard Iberia S.L.U
Riera Principal Nr. 8
08328 Alella (Barcelona - España)
☎ +34 93 561 80 00
www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:
Λ. Μεσογείων 265, 15451 Ν.
Ψυχικό, Αθήνα
☎ +2106790800
www.idealstandard.gr

France

Ideal Standard France - Siège social
39Rue St. Sabin
75011 Paris
☎ +33 (0)1 49 38 81 34
✉ sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)
www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl
Via Giosuè Borsi 9
20143 Milano, Italia
☎ +39 (0)2 28881
✉ info@idealstandard.it
www.idealstandard.it

Nederland

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 's-Hertogenbosch
☎ +31 (0)-77 355 08 08
✉ +31 (0)-77 354 21 86
www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131-135
1220 Wien Österreich
☎ +43 125 66 222-0
✉ +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska
Ul. Ostrowskiego 7
53-238 Wrocław
☎ +48 71 78 68 301
www.idealstandard.po

România

Ideal Standard Representative Office România
Calea Victoriei 109, Etaj 1, Sector 1
București, 010069
☎ +40 746 050 408
✉ officebucharest@idealstandard.com
www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD
Drinčićeva br.19, I sprat, stan br.8
11000 Beograd Srbija
☎ +381 11 7138 058
www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
☎ +44 (0)-1482 346 461
✉ +44 (0)-1482 445 886
www.idealstandard.co.uk



Ideal Standard

BD221AA

CERAPLAN BSN MXR H75 RMTD PU/MT 3.8L UK

