


## CERAFINE MODEL O

BC722AA

CERAFINE MODEL O | Basin mixer 50x155x138 mm, 114 mm spout projection in chrome finish, 5 l/min (3 bar), no waste | EasyFix, EPD, FirmaFlow, SmartShine

### Image & drawing



### General information

|                           |                  |
|---------------------------|------------------|
| Product type:             | Washbasin mixers |
| Sub product type:         | Basin mixer      |
| Brand:                    | Ideal Standard   |
| Suite name:               | CERAFINE MODEL O |
| Designer:                 | Ideal Standard   |
| Colour:                   | AA - Chrome      |
| Surface finish effect:    | glossy           |
| Height (mm):              | 138              |
| Width (mm):               | 50               |
| Length / Projection (mm): | 155              |
| Fixing method:            | EasyFix          |
| Net weight (kg):          | 1.33             |
| EAN code:                 | 3800861083023    |

### Features



EasyFix



EPD



FirmaFlow



SmartShine

### Downloads

- [EPD](#)
- [Declaration of Conformity](#)
- [Installation Guide](#)
- [Spare Parts List](#)

### Product standard & certifications

Additional standards: EN 248 | DIN 4109-1 | EN 817

### Product specifications

|                              |        |
|------------------------------|--------|
| Amount of escutcheon(s):     | 1      |
| Amount of handles:           | 1      |
| Blue Start technology:       | No     |
| Colour code:                 | AA     |
| Colour description:          | chrome |
| Cool Body technology:        | No     |
| Easy Fix technology:         | Yes    |
| FirmaFlow cartridge:         | Yes    |
| Handle position:             | Top    |
| Includes a chain eye:        | No     |
| Integrated electronics:      | No     |
| Low-pressure model:          | No     |
| Material:                    | Metal  |
| Material quality:            | Brass  |
| Max. flow rate at 3 bar (l): | 5      |

## CERAFINE MODEL O

## BC722AA

CERAFINE MODEL O | Basin mixer 50x155x138 mm, 114 mm spout projection in chrome finish, 5 l/min (3 bar), no waste | EasyFix, EPD, FirmaFlow, SmartShine

### Product specifications

|                                              |                   |
|----------------------------------------------|-------------------|
| Max. flow rate at 3 bar (l) for all outlets: | 5                 |
| Max. flow rate at 3 bar (l) for spout:       | 5                 |
| Max. operating pressure (bar):               | 10                |
| Min. operating pressure (bar):               | 0.5               |
| PVD technology:                              | No                |
| Shape of escutcheon(s):                      | Round             |
| SmartShine:                                  | Yes               |
| Spout model:                                 | Fixed             |
| Surface cover:                               | chromium-plated   |
| Surface finish effect:                       | glossy            |
| Tap outlet model:                            | Aerator           |
| Tap outlet visibility:                       | Visible           |
| Tap outlet adjustable:                       | No                |
| Tap outlet is anti-vandal:                   | No                |
| Temperature limiter:                         | Yes               |
| Touchless control:                           | No                |
| Type of handle:                              | Lever             |
| Type of temperature control:                 | Manually operated |
| With drain plug:                             | No                |
| With escutcheon(s):                          | Yes               |
| With flow regulator:                         | Yes               |
| With handle(s):                              | Yes               |
| With outlet:                                 | Yes               |
| With pull-out spray:                         | No                |
| With waste set:                              | No                |
| Fixing method:                               | EasyFix           |
| Mounting method:                             | Tap hole          |

## Your local contact:

### België • Belgique

Ideal Standard Produktions GmbH  
Ikaroslaan 18  
B-1930 Zaventem  
☎ +32 2 325 66 00  
✉ +32 2 325 66 01  
www.idealstandard.be

### България

Идеал Стандарт - Видима АД  
ул. "Марин Попов" 53  
гр. Севлиево, 5400  
☎ +359 885 938 880  
✉ office@idealstandard.com  
www.idealstandard.bg

### Česká republika

Ideal Standard s.r.o.  
Zemská 623  
41574 Teplice  
☎ +420 (0)-417-265 11  
✉ +420 (0)-417-265 15  
www.idealstandard.cz

### Hrvatska

Ideal Standard Hrvatska  
Lopatinečka ul. 8  
10000, Zagreb  
☎ +385 91 229 9304  
www.idealstandard.hr

### Danmark

Ideal Standard Skandinavia ApS  
Fynsvej 9  
5500 Middelfart (Denmark)  
☎ +45 75 84 10 10  
www.idealstandard.dk

### Deutschland

Ideal Standard GmbH  
Euskirchener Straße 80  
53121 Bonn  
☎ +49 (0)228 521-0  
✉ +49 (0)228 521-241  
✉ idealstandard.de@idealstandard.com  
www.idealstandard.de

### Éire

Ideal Standard Éire  
2nd Floor, Unit 3103 Lake Drive Citywest  
Business Campus Tallaght Dublin 24 YXW2  
☎ +353 1 4564525  
www.idealstandard.ie

### España

Ideal Standard Iberia S.L.U  
Riera Principal Nr. 8  
08328 Alella (Barcelona - España)  
☎ +34 93 561 80 00  
www.idealstandard.es

### Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:  
Λ. Μεσογείων 265, 15451 N.  
Ψυχικό, Αθήνα  
☎ +2106790800  
www.idealstandard.gr

### France

Ideal Standard France - Siège social  
39Rue St. Sabin  
75011 Paris  
☎ +33 (0)1 49 38 81 34  
✉ sav.idealstandard@idealstandard.com  
(demandes techniques) /  
devis.chantier@idealstandard.com  
(demandes commerciales)  
www.idealstandard.fr

### Italia

Ideal Standard (Italia) Srl  
Via Giosuè Borsi 9  
20143 Milano, Italia  
☎ +39 (0)2 28881  
✉ info@idealstandard.it  
www.idealstandard.it

### Nederland

Ideal Standard Nederland BV  
Hambakenwetering 3  
5231 DD 's-Hertogenbosch  
☎ +31 (0)-77 355 08 08  
✉ +31 (0)-77 354 21 86  
www.idealstandard.nl

### Österreich

Ideal Standard GmbH  
Zweigniederlassung Österreich  
Erzherzog-Karl-Str. 131-135  
1220 Wien Österreich  
☎ +43 125 66 222-0  
✉ +43 125 66 222-625  
www.idealstandard.at

### Polska

Ideal Standard Polska  
Ul. Ostrowskiego 7  
53-238 Wrocław  
☎ +48 71 78 68 301  
www.idealstandard.po

### România

Ideal Standard Representative Office România  
Calea Victoriei 109, Etaj 1, Sector 1  
București, 010069  
☎ +40 746 050 408  
✉ officebucharest@idealstandard.com  
www.ideal-standard.ro

### Srbija

Ideal Standard - Vidima AD  
Drinčićeva br.19, I sprat, stan br.8  
11000 Beograd Srbija  
☎ +381 11 7138 058  
www.idealstandard.rs

### United Kingdom

Ideal Standard (UK) Ltd  
The Bathroom Works National Avenue  
Kingston Upon Hull  
HU5 4HS  
☎ +44 (0)-1482 346 461  
✉ +44 (0)-1482 445 886  
www.idealstandard.co.uk



Ideal Standard

## BC722AA CERAFINE O BSN MXR H80 RMTD 5L UK

