


Geberit Selnova Premium wall-hung WC, washdown, shrouded, Rimfree



APPLICATION PURPOSES

- For concealed cisterns
- For pressure flushing valves

CHARACTERISTICS

- Wall-hung
- Washdown WC

- Rimless WC ceramic appliance featuring Rimfree flush technology
- Easy fastening with Easy Fast Fixing (type EFF3)
- Type 1, full flush volume 6 / 5 / 4 l, in accordance with EN 997
- 4 l flush
- Shrouded

TECHNICAL DATA

Product material Vitreous china

Fastening distance 18 cm

SCOPE OF DELIVERY


- WC ceramic appliance
- Fastening material

TO ORDER ADDITIONALLY

- WC seat

Art. no.	Colour / surface	B cm	H cm	T cm	Outlet
502.293.00.7	white	36	33	53	horizontal

Geberit Selnova WC seat, fastening from above



Example image

CHARACTERISTICS

- Overlapping WC lid
- Hinges made of metal

TECHNICAL DATA



Product material	Duroplast
Fastening distance	15.5 cm

SCOPE OF DELIVERY

- WC seat

Art. no.	Colour / surface	B cm	H cm	T cm	Quick-release hinges	Soft-closing mechanism	Fastening	Hinge material
500.333.01.1	white / glossy	36	5	45	no	yes	from above	Brass chrome-plated
500.335.01.1	white / glossy	36	5	45	yes	yes	from above	Brass chrome-plated
500.337.01.1	white / glossy	36	5	45	no	no	from above	Stainless steel

Geberit Duofix element for wall-hung WC, 112 cm, with Alpha concealed cistern 12 cm, 5.8 / 3 litres



APPLICATION PURPOSES

- For metal and wood frame walls
- For installation in part- or room-height prewalls
- For installation in room-height partition walls
- For floor constructions 0–20 cm
- For wall-hung WCs

CHARACTERISTICS

- 2025 range
- Statically self-supporting frame, protected against corrosion with powder coating
- Frame for wall-hung WCs with connection dimensions as per EN 33 and projection up to 62 cm
- Alternative fastening point for wall anchors
- Foot plates made of plastic
- Foot plate depth suitable for installation in U-profiles UW 50
- Galvanised leg supports protected against corrosion
- Connection bend can be mounted without tools
- Geberit Alpha concealed cistern 12 cm fully insulated against condensation

- Cistern fulfils standard requirements in accordance with EN 14055, Class II
- For front actuation, suitable for dual flush
- Immediate post flush possible with factory setting
- Water supply connection on the rear or top centre
- Protection box for service opening, can be cut to length, protects against moisture and dirt
- With conduit pipe for feed pipe for Geberit AquaClean shower toilets and for connection cable
- Fastening option for electrical connection

TECHNICAL DATA

Flow pressure	0.1–10 bar
Operating temperature, water max.	25 °C
Flush volume, factory setting	5.8 / 3 l
Flush volume large, adjustment range	4 / 4.5 / 6 / 7.5 l
Flush volume small, adjustment range	2–4 l

Product material

Steel

SCOPE OF DELIVERY


- Water supply connection unit R 1/2", compatible with MasterFix and MeplaFix, with integrated angle stop valve and adapter ring
- Protection box for service opening
- 2 wall anchors
- 2 fixing brackets
- Connection set for WC, ø 90 mm
- Connection bend 90° made of PE-HD, ø 90 mm
- Adaptor socket made of PE-HD, ø 90 / 110 mm
- Fastening and protection material


ACCESSORIES


- Geberit Duofix fastening material for stud clearance 50–57.5 cm
- Geberit Duofix set of foot fastener on rear wall
- Geberit set of support brackets for WC ceramic appliances with small contact surfaces
- Geberit sound insulation set for wall-hung WC
- Geberit Duofix set of foot extensions 20 cm length

Art. no.	B cm	H cm	T cm	
458.039.00.2 New	50	112	12	

New article available from 01.05.2025









Geberit Alpha01 flush plate for dual flush, round



Example image



APPLICATION PURPOSES

- For flush actuation with Alpha concealed cisterns

CHARACTERISTICS

- Top/front actuation

TECHNICAL DATA

Actuation force max. 20 N
Button shape round


SCOPE OF DELIVERY

- 2 actuator rods
- Fastening material


Art. no.	Colour / surface	Product material	B cm	H cm	T cm
115.035.11.1 New	white	Plastic	21.3	14.2	1.6
115.035.14.1 New	black matt	Plastic	21.3	14.2	1.6
115.035.21.1 New	chrom / glossy	Plastic	21.3	14.2	1.6

<i>Art. no.</i>	<i>Colour / surface</i>	<i>Product material</i>	<i>B</i> cm	<i>H</i> cm	<i>T</i> cm
115.035.46.1 New	chrom / matt	Plastic	21.3	14.2	1.6
115.035.QA.1 New	red gold	Plastic	21.3	14.2	1.6
115.035.QC.1 New	black chrome	Plastic	21.3	14.2	1.6
115.035.QE.1 New	brass-coloured	Plastic	21.3	14.2	1.6

New articles available from 01.05.2025



← B →



H ↑
↓

