


Geberit Selnova floor-standing WC, Premium, washdown, back-to-wall, horizontal or vertical outlet, shrouded, Rimfree



APPLICATION PURPOSES

- For concealed cisterns
- For pressure flushing valves

CHARACTERISTICS

- Washdown WC
- Floor-standing
- Back-to-wall

- Rimless WC ceramic appliance featuring Rimfree flush technology
- Type 1, full flush volume 6 / 5 / 4 l, in accordance with EN 997
- 4 l flush
- Horizontal or vertical outlet
- Shrouded
- Hidden fastening

SCOPE OF DELIVERY

- WC ceramic appliance
- Fastening material

TO ORDER ADDITIONALLY


- WC seat

TECHNICAL DATA

Product material Vitreous china

Art. no.	Colour / surface	B cm	H cm	T cm	Outlet
502.294.00.7	white	35.5	40	53	horizontal or vertical

Geberit Selnova WC seat, fastening from above



Example image

CHARACTERISTICS

- Overlapping WC lid
- Hinges made of metal

TECHNICAL DATA

Product material	Duroplast
Fastening distance	15.5 cm

SCOPE OF DELIVERY



- WC seat

Art. no.	Colour / surface	B cm	H cm	T cm	Quick-release hinges	Soft-closing mechanism	Fastening	Hinge material
500.333.01.1	white / glossy	36	5	45	no	yes	from above	Brass chrome-plated
500.335.01.1	white / glossy	36	5	45	yes	yes	from above	Brass chrome-plated
500.337.01.1	white / glossy	36	5	45	no	no	from above	Stainless steel

Geberit Alpha01 flush plate for dual flush, round



Example image



APPLICATION PURPOSES

- For flush actuation with Alpha concealed cisterns

CHARACTERISTICS

- Top/front actuation

TECHNICAL DATA

Actuation force max. 20 N
Button shape round


SCOPE OF DELIVERY

- 2 actuator rods
- Fastening material


Art. no.	Colour / surface	Product material	B cm	H cm	T cm
115.035.11.1 New	white	Plastic	21.3	14.2	1.6
115.035.14.1 New	black matt	Plastic	21.3	14.2	1.6
115.035.21.1 New	chrom / glossy	Plastic	21.3	14.2	1.6

<i>Art. no.</i>	<i>Colour / surface</i>	<i>Product material</i>	<i>B</i> cm	<i>H</i> cm	<i>T</i> cm
115.035.46.1 New	chrom / matt	Plastic	21.3	14.2	1.6
115.035.QA.1 New	red gold	Plastic	21.3	14.2	1.6
115.035.QC.1 New	black chrome	Plastic	21.3	14.2	1.6
115.035.QE.1 New	brass-coloured	Plastic	21.3	14.2	1.6


New articles available from 01.05.2025





← B →



↑
H
↓



Geberit Alpha concealed cistern 12 cm, 5.8 / 3 litres, installation height 109 cm



APPLICATION PURPOSES

- For masonry walls
- For installation in part or room-height prewall installations
- For installation in room-height installation walls
- For floor-standing and wall-hung WCs

CHARACTERISTICS

- Adjustable in depth
- Geberit Alpha concealed cistern 12 cm fully insulated against condensation
- For front actuation, suitable for dual flush
- Immediate post flush possible with factory setting

- Cistern fulfils standard requirements in accordance with EN 14055, Class II
- Flush bend fitted
- Water supply connection on the rear or top centre
- Protection box for service opening, can be cut to length, protects against moisture and dirt

Flush volume small, adjustment range 2-4 l
Product material Plastic

TECHNICAL DATA

Flow pressure	0.1-10 bar
Operating temperature, water max.	25 °C
Flush volume, factory setting	5.8 / 3 l
Flush volume large, adjustment range	4 / 4.5 / 6 / 7.5 l

SCOPE OF DELIVERY

- Water supply connection unit R 1/2", compatible with MasterFix and MeplaFix, with integrated angle stop valve and adapter ring
- Protection box for service opening
- Fastening for flush bend
- Flush bend extension, ø 45 mm
- 2 fixing brackets
- Fastening and protection material

Art. no.	B cm	H cm	T cm
109.012.00.1	44	39.5	12
New			

New article available from 01.05.2025

