

# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE  
PRODUCT CODE: IND-1721-ALT-BRG



## COLLECTION NAME

Tablet Altitude

## FINISH

Brushed Gold

## MINIMUM OPERATING PRESSURE

0.2 Bar LP

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP

## GUARANTEE

15 Year Guarantee

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## SPARE PARTS

Thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX

## CONNECTIONS / FITTINGS

2 x 3/4" female inlets 2 x 3/4" female outlets

## INSTALLATION TOLERANCES

Min-max wall mount 75-100mm optimum installation depth 87mm

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE  
PRODUCT CODE: IND-1721-ALT-BRG

## WITH AIR-INJECTION TECHNOLOGY

No

## SHOWER PACKAGE DESCRIPTION

IND-T148/2-ALT-BRG

IND-RO/25-BRG

IND-EFSA/RO-BRG

IND-SFMKW0/RO-BRG

## KIT COMPRISES

IND-T148/2-ALT-BRG IND-RO/25-BRG IND-EFSA/RO-BRG IND-SFMKW0/RO-BRG

## WITH THERMOSTATIC TECHNOLOGY

Yes

## NUMBER OF OUTLETS

2 Outlet

## VALVE TYPE

Concealed

## INCLUDES MORTAR / TILE GUARD

Yes

## WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

## COMPATIBLE WITH STUDFAST

Yes

## ADJUSTABLE FIXING FOR EASY RETRO FIT


No



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE

PRODUCT CODE: IND-T148/2-ALT-BRG



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## SHOWER TYPE

Shower Valve

## VALVE TYPE

Concealed

## ORIENTATION

Vertical

## NUMBER OF OUTLETS

2 Outlet

## WITH ALL-FLOW FUNCTION

Yes

## WITH INTEGRATED DIVERTER

No

## COMPATIBLE WITH STUDFAST

Yes

## WITH BLEED VALVE FOR SYSTEM FLUSH ON INSTALLATION

No

## WITH SHOWER KIT

No

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE  
PRODUCT CODE: IND-T148/2-ALT-BRG

## INCLUDES MORTAR / TILE GUARD

Yes

## COMPATIBLE WITH EASY-FIX BRACKETS

No

## WITH THERMOSTATIC TECHNOLOGY

Yes

## INSTALLATION TOLERANCES

min-max wall mount 75-100mm optimum installation depth 87mm

## CONNECTIONS / FITTINGS

2 x 3/4" female inlets 2 x 3/4" female outlets

## SPARE PARTS

thermostatic cartridge V-704-34S diverter cartridge FL-802-33/2MX

## MOUNTING

Wall Mounted

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## COLLECTION NAME

Tablet Altitude

## FINISH

Brushed Gold

## MINIMUM OPERATING PRESSURE

0.2 Bar LP (Shower) / 1.0 Bar MP (Bath)

## MAXIMUM OPERATING PRESSURE

5.0 Bar HP



# SPECIFICATION SHEET

COLLECTION: TABLET ALTITUDE  
PRODUCT CODE: IND-T148/2-ALT-BRG

## GUARANTEE

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)


WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: TABLET ALTITUDE

PRODUCT CODE: IND-T148/2-ALT-BRG



# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS  
PRODUCT CODE: IND-EFSA/RO-BRG



## SHOWER TYPE

Shower Arm

## WITH EASY-FIT BRACKETS

No

## COLLECTION NAME

Showering Solutions

## FINISH

Brushed Gold

## GUARANTEE

15 Year Guarantee

## MOUNTING

Wall Mounted


tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING


COLLECTION: SHOWERING SOLUTIONS  
PRODUCT CODE: IND-EFSA/RO-BRG





# SPECIFICATION SHEET

COLLECTION: NEBULA  
PRODUCT CODE: IND-RO/25-BRG



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## SHOWER TYPE

Shower Head

## PLUMBING SYSTEM SUITABILITY

Pumped System

## MOUNTING

Wall Mounted

## STYLE

Round

## CONNECTIONS / FITTINGS

1/2" female inlet

## WITH AIR-INJECTION TECHNOLOGY

No

## FUNCTIONS

Single Function

## RUB-CLEAN NOZZLES

Yes

## SELF-CLEANING

No

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: NEBULA  
PRODUCT CODE: IND-R0/25-BRG

WITH SHOWER ARM

None

SHOWER HEAD SIZE

250mm (10") diameter

MATERIAL

Brass

COLLECTION NAME

Nebula

FINISH

Brushed Gold

MINIMUM OPERATING PRESSURE

1.0 Bar MP


GUARANTEE

15 Year Guarantee




# TECHNICAL DRAWING

COLLECTION: NEBULA  
PRODUCT CODE: IND-R0/25-BRG



# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS  
PRODUCT CODE: IND-SFMKW0/RO-BRG



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

## MOUNTING

Wall Mounted

## CONNECTIONS / FITTINGS

1/2" inlet

## HOSE

with 150cm hose

## FUNCTIONS

1

## RUB-CLEAN NOZZLES

Yes

## WITH OUTLET / BRACKET

with Integrated Outlet and Bracket

## COLLECTION NAME

Showering Solutions

## FINISH

Brushed Gold

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: SHOWERING SOLUTIONS  
PRODUCT CODE: IND-SFMKW0/RO-BRG

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

GUARANTEE

15 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: SHOWERING SOLUTIONS  
PRODUCT CODE: IND-SFMKW0/RO-BRG

