


SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: SAF-237-PEW



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System

HANDLES

2 Handle

MATERIAL

Brass

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH INTEGRATED WASTE

None

WITH WATER FLOW STRAIGHTENER

No

WITH SWIVEL SPOUT

with Fixed Spout

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-237-PEW

CONNECTIONS / FITTINGS

2 x 3/4" 48.5mm male threaded inlet connections

DECK HOLE DRILL DIAMETER

2 x 28-38mm

MINIMUM OPERATING PRESSURE

0.2 Bar LP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

SPARE PARTS

Cold ceramic cartridge: C-302-RTC. Hot ceramic cartridge: C-302-LTC

FINISH

Pewter

COLLECTION NAME

Safari

GUARANTEE

10 Year Guarantee

TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-237-PEW

