


# SPECIFICATION SHEET

COLLECTION: SAFARI  
PRODUCT CODE: SAF-123T-PEW



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

## HANDLES

2 Handle

## HOLES

2 Hole

## MOUNTING

Wall Mounted

## WITH INTEGRATED DIVERTER

No

## WITH EASY-FIT BRACKETS

Yes

## WITH SHOWER KIT

No

## WITH THERMOSTATIC TECHNOLOGY

Yes

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: SAFARI  
PRODUCT CODE: SAF-123T-PEW

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, diverter cartridge C-801-33/2P

STYLE

Round

FINISH

Pewter

COLLECTION NAME

Safari


GUARANTEE

10 Year Guarantee




# TECHNICAL DRAWING

COLLECTION: SAFARI  
PRODUCT CODE: SAF-123T-PEW



# SPECIFICATION SHEET

COLLECTION: SAFARI  
PRODUCT CODE: SAF-131T-PEW



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

## TAP TYPE

Bath Shower Mixer

## PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

## HANDLES

2 Handle

## HOLES

2 Hole

## MOUNTING

Deck Mounted

## WITH INTEGRATED DIVERTER

No

## WITH EASY-FIT BRACKETS

No

## WITH SHOWER KIT

No

## WITH THERMOSTATIC TECHNOLOGY

No

tel: 01934 744466  
email: sales@vado.com  
www.vado.com

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# SPECIFICATION SHEET

COLLECTION: SAFARI  
PRODUCT CODE: SAF-131T-PEW

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, diverter cartridge C-801-33/2P, 2x 3/4" 50mm threaded connection on legs

DECK HOLE DRILL DIAMETER

28-35mm

STYLE

Round

FINISH

Pewter

COLLECTION NAME

Safari

# SPECIFICATION SHEET

COLLECTION: SAFARI  
PRODUCT CODE: SAF-131T-PEW

GUARANTEE  
10 Year Guarantee

tel: 01934 744466  
email: [sales@vado.com](mailto:sales@vado.com)  
[www.vado.com](http://www.vado.com)

WHERE INSPIRATION FLOWS  
TAPS | SHOWERS | FURNITURE



# TECHNICAL DRAWING

COLLECTION: SAFARI  
PRODUCT CODE: SAF-131T-PEW

