


SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-123T-SBR



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

HANDLES

2 Handle

HOLES

2 Hole

MOUNTING

Wall Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

Yes

WITH SHOWER KIT

No

WITH THERMOSTATIC TECHNOLOGY

Yes

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-123T-SBR

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, diverter cartridge C-801-33/2P

STYLE

Round

FINISH

Satin Brass

COLLECTION NAME

Safari

GUARANTEE


10 Year Guarantee



TECHNICAL DRAWING



COLLECTION: SAFARI

PRODUCT CODE: SAF-123T-SBR



SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: SAF-131T-SBR



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Shower Mixer

PLUMBING SYSTEM SUITABILITY

Gravity System, Combination Boiler

HANDLES

2 Handle

HOLES

2 Hole

MOUNTING

Deck Mounted

WITH INTEGRATED DIVERTER

No

WITH EASY-FIT BRACKETS

No

WITH SHOWER KIT

No

WITH THERMOSTATIC TECHNOLOGY

No

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: SAFARI

PRODUCT CODE: SAF-131T-SBR

FOR USE WITH BATH FILLER WASTE AND OVERFLOW

No

MINIMUM OPERATING PRESSURE

1.0 Bar MP

MAXIMUM OPERATING PRESSURE

5.0 Bar HP

WITH BATH SPOUT

No

WITH AIR-INJECTION TECHNOLOGY

No

WITH WATER FLOW STRAIGHTENER

Yes

WITH WATER FLOW AERATOR

No

CONNECTIONS / FITTINGS

thermostatic cartridge V-704-34S, diverter cartridge C-801-33/2P, 2x 3/4" 50mm threaded connection on legs

DECK HOLE DRILL DIAMETER

28-35mm

STYLE

Round

FINISH

Satin Brass

COLLECTION NAME

Safari



SPECIFICATION SHEET

COLLECTION: SAFARI
PRODUCT CODE: SAF-131T-SBR

GUARANTEE
10 Year Guarantee

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



TECHNICAL DRAWING

COLLECTION: SAFARI

PRODUCT CODE: SAF-131T-SBR

