

# PRODUCT DATA SHEET



**PRODUCT CODE**  
WLBP1500R

**RANGE**  
Thermo SV

**DESCRIPTION**  
2 Way Diverter Valve Body With No Collars

**WEBSITE LINK** [Click Here](#)

|                            |              |
|----------------------------|--------------|
| CATEGORY                   | Brassware    |
| WARRANTY DETAILS           | 15 Years     |
| PRIMARY MATERIAL           | Brass        |
| INSTALL TYPE               | Wall Mounted |
| PRODUCT WIDTH MM           | 66           |
| PRODUCT HEIGHT MM          | 184          |
| PRODUCT DEPTH MM           | 132          |
| PRODUCT NET WEIGHT KG      | 2.5          |
| MINIMUM PRESSURE (BAR)     | 0.5          |
| MAX WORKING PRESSURE (BAR) | 5            |



|                                    |                                     |
|------------------------------------|-------------------------------------|
| STANDARDS                          | BS EN 1111:2017                     |
| NUMBER OF OUTLETS                  | 2                                   |
| NUMBER OF FUNCTIONS                | 2                                   |
| HEADWORK                           | Diverter and Thermostatic Cartridge |
| SWIVEL SPOUT                       | No                                  |
| INLET CONNECTIONS THREAD           | G3/4"                               |
| OUTLET CONNECTIONS THREAD          | G3/4"                               |
| WASTE INCLUDED                     | No                                  |
| ANTI-SCALD                         | No                                  |
| ENERGY SAVING                      | No                                  |
| SHOWER HOSE & HANDSET ARE INCLUDED | No                                  |

|                     |     |       |       |       |       |   |       |
|---------------------|-----|-------|-------|-------|-------|---|-------|
| PRESSURE (BAR)      | 0.2 | 0.5   | 1     | 2     | 3     | 4 | 5     |
| PRIMARY FLOWRATE    |     | 14.05 | 20.62 | 31.06 | 38.13 |   | 50.47 |
| HANDSET FLOWRATE    |     |       |       |       |       |   |       |
| MASSAGE FLOW RATE   |     |       |       |       |       |   |       |
| AIR FLOW RATE       |     |       |       |       |       |   |       |
| WIRE FLOW RATE      |     |       |       |       |       |   |       |
| WATERFALL FLOW RATE |     |       |       |       |       |   |       |
| MIST FLOW RATE      |     |       |       |       |       |   |       |
| HANDSPRAY FLOW RATE |     |       |       |       |       |   |       |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



**PRODUCT CODE**  
PRO1510LBPV

**RANGE**  
MPRO

**DESCRIPTION**  
MPRO 2 Handle Trimset (must be paired with WLBP25X3R) Stainless Steel Effect

**WEBSITE LINK** [Click Here](#)

|                       |                        |
|-----------------------|------------------------|
| CATEGORY              | Brassware              |
| WARRANTY DETAILS      | 15 Years               |
| COLOUR                | Stainless Steel Effect |
| FINISH APPLICATION    | PVD                    |
| PRIMARY MATERIAL      | Brass                  |
| INSTALL TYPE          | Wall Mounted           |
| PRODUCT WIDTH MM      | 120                    |
| PRODUCT HEIGHT MM     | 215                    |
| PRODUCT NET WEIGHT KG | 1.4                    |


|                                    |    |
|------------------------------------|----|
| SWIVEL SPOUT                       | No |
| WASTE INCLUDED                     | No |
| ANTI-SCALD                         | No |
| ENERGY SAVING                      | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

|                     |     |     |   |   |   |   |   |
|---------------------|-----|-----|---|---|---|---|---|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
| PRIMARY FLOWRATE    |     |     |   |   |   |   |   |
| HANDSET FLOWRATE    |     |     |   |   |   |   |   |
| MASSAGE FLOW RATE   |     |     |   |   |   |   |   |
| AIR FLOW RATE       |     |     |   |   |   |   |   |
| WIRE FLOW RATE      |     |     |   |   |   |   |   |
| WATERFALL FLOW RATE |     |     |   |   |   |   |   |
| MIST FLOW RATE      |     |     |   |   |   |   |   |
| HANDSPRAY FLOW RATE |     |     |   |   |   |   |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



**PRODUCT CODE**  
FH684V\_V2

**RANGE**  
Shower Arm

**DESCRIPTION**  
Shower Arm 350mm Stainless Steel Effect

**WEBSITE LINK** [Click Here](#)

|                       |                        |
|-----------------------|------------------------|
| CATEGORY              | Brassware              |
| WARRANTY DETAILS      | 15 Years               |
| COLOUR                | Stainless Steel Effect |
| FINISH APPLICATION    | PVD                    |
| PRIMARY MATERIAL      | Brass                  |
| INSTALL TYPE          | Wall Mounted           |
| PRODUCT WIDTH MM      | 60                     |
| PRODUCT HEIGHT MM     | 95                     |
| PRODUCT DEPTH MM      | 342                    |
| PRODUCT NET WEIGHT KG | 0.25                   |


|                                    |       |
|------------------------------------|-------|
| NUMBER OF OUTLETS                  | 1     |
| NUMBER OF FUNCTIONS                | 1     |
| INLET CONNECTIONS THREAD           | G1/2" |
| OUTLET CONNECTIONS THREAD          | G1/2" |
| WASTE INCLUDED                     | No    |
| ANTI-SCALD                         | No    |
| ENERGY SAVING                      | No    |
| SHOWER HOSE & HANDSET ARE INCLUDED | No    |

|                     |     |     |   |   |   |   |   |
|---------------------|-----|-----|---|---|---|---|---|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
| PRIMARY FLOWRATE    |     |     |   |   |   |   |   |
| HANDSET FLOWRATE    |     |     |   |   |   |   |   |
| MASSAGE FLOW RATE   |     |     |   |   |   |   |   |
| AIR FLOW RATE       |     |     |   |   |   |   |   |
| WIRE FLOW RATE      |     |     |   |   |   |   |   |
| WATERFALL FLOW RATE |     |     |   |   |   |   |   |
| MIST FLOW RATE      |     |     |   |   |   |   |   |
| HANDSPRAY FLOW RATE |     |     |   |   |   |   |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.





## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



**PRODUCT CODE**  
PRO200V\_V2

**RANGE**  
MPRO

**DESCRIPTION**  
MPRO 200mm Fixed Head Stainless Steel Effect

**WEBSITE LINK** [Click Here](#)

|                            |                        |
|----------------------------|------------------------|
| CATEGORY                   | Brassware              |
| WARRANTY DETAILS           | 15 Years               |
| COLOUR                     | Stainless Steel Effect |
| FINISH APPLICATION         | PVD                    |
| PRIMARY MATERIAL           | Brass                  |
| INSTALL TYPE               | Ceiling Mounted        |
| PRODUCT WIDTH MM           | 200                    |
| PRODUCT HEIGHT MM          | 58                     |
| PRODUCT DEPTH MM           | 200                    |
| PRODUCT NET WEIGHT KG      | 0.9                    |
| MINIMUM PRESSURE (BAR)     | 0.5                    |
| MAX WORKING PRESSURE (BAR) | 5                      |


|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | KIWA 2312748 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | No           |

|                     |     |       |       |       |       |       |       |
|---------------------|-----|-------|-------|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2 | 0.5   | 1     | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    |     | 12.75 | 16.48 | 23.31 | 26.58 | 31.36 | 35.39 |
| HANDSET FLOWRATE    |     |       |       |       |       |       |       |
| MASSAGE FLOW RATE   |     |       |       |       |       |       |       |
| AIR FLOW RATE       |     |       |       |       |       |       |       |
| WIRE FLOW RATE      |     |       |       |       |       |       |       |
| WATERFALL FLOW RATE |     |       |       |       |       |       |       |
| MIST FLOW RATE      |     |       |       |       |       |       |       |
| HANDSPRAY FLOW RATE |     |       |       |       |       |       |       |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



**PRODUCT CODE**  
PRO300V\_V2

**RANGE**  
MPRO

**DESCRIPTION**  
MPRO 300mm Fixed Head Stainless Steel Effect

**WEBSITE LINK** [Click Here](#)

|                            |                        |
|----------------------------|------------------------|
| CATEGORY                   | Brassware              |
| WARRANTY DETAILS           | 15 Years               |
| COLOUR                     | Stainless Steel Effect |
| FINISH APPLICATION         | PVD                    |
| PRIMARY MATERIAL           | Brass                  |
| INSTALL TYPE               | Ceiling Mounted        |
| PRODUCT WIDTH MM           | 300                    |
| PRODUCT HEIGHT MM          | 58                     |
| PRODUCT DEPTH MM           | 300                    |
| PRODUCT NET WEIGHT KG      | 1.9                    |
| MINIMUM PRESSURE (BAR)     | 0.5                    |
| MAX WORKING PRESSURE (BAR) | 5                      |


|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | KIWA 2312748 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | No           |

|                     |       |      |       |       |       |       |   |
|---------------------|-------|------|-------|-------|-------|-------|---|
| PRESSURE (BAR)      | 0.2   | 0.5  | 1     | 2     | 3     | 4     | 5 |
| PRIMARY FLOWRATE    | 12.91 | 16.7 | 22.02 | 24.07 | 27.87 | 31.13 |   |
| HANDSET FLOWRATE    |       |      |       |       |       |       |   |
| MASSAGE FLOW RATE   |       |      |       |       |       |       |   |
| AIR FLOW RATE       |       |      |       |       |       |       |   |
| WIRE FLOW RATE      |       |      |       |       |       |       |   |
| WATERFALL FLOW RATE |       |      |       |       |       |       |   |
| MIST FLOW RATE      |       |      |       |       |       |       |   |
| HANDSPRAY FLOW RATE |       |      |       |       |       |       |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE  
PRO963V

RANGE  
MPRO

DESCRIPTION  
MPRO Shower Kit & Wall Outlet Stainless Steel Effect

WEBSITE LINK [Click Here](#)

|                            |                        |
|----------------------------|------------------------|
| CATEGORY                   | Brassware              |
| WARRANTY DETAILS           | 15 Years               |
| COLOUR                     | Stainless Steel Effect |
| FINISH APPLICATION         | PVD                    |
| PRIMARY MATERIAL           | Brass                  |
| INSTALL TYPE               | Wall Mounted           |
| PRODUCT WIDTH MM           | 53                     |
| PRODUCT HEIGHT MM          | 234                    |
| PRODUCT DEPTH MM           | 77                     |
| PRODUCT NET WEIGHT KG      | 1                      |
| MINIMUM PRESSURE (BAR)     | 0.5                    |
| MAX WORKING PRESSURE (BAR) | 5                      |

|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | WRAS 1911304 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | Yes          |


|                     |     |      |   |       |       |       |       |
|---------------------|-----|------|---|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2 | 0.5  | 1 | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    |     |      |   |       |       |       |       |
| HANDSET FLOWRATE    |     | 6.21 | 9 | 12.36 | 15.29 | 18.21 | 20.78 |
| MASSAGE FLOW RATE   |     |      |   |       |       |       |       |
| AIR FLOW RATE       |     |      |   |       |       |       |       |
| WIRE FLOW RATE      |     |      |   |       |       |       |       |
| WATERFALL FLOW RATE |     |      |   |       |       |       |       |
| MIST FLOW RATE      |     |      |   |       |       |       |       |
| HANDSPRAY FLOW RATE |     |      |   |       |       |       |       |



## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST