

PRODUCT DATA SHEET



PRODUCT CODE

WLBP1500R

RANGE

Thermo SV

DESCRIPTION

2 Way Diverter Valve Body With No Collars

WEBSITE LINK [Click Here](#)

| | |
|----------------------------|--------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Wall Mounted |
| PRODUCT WIDTH MM | 66 |
| PRODUCT HEIGHT MM | 184 |
| PRODUCT DEPTH MM | 132 |
| PRODUCT NET WEIGHT KG | 2.5 |
| MINIMUM PRESSURE (BAR) | 0.5 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|-------------------------------------|
| STANDARDS | BS EN 1111:2017 |
| NUMBER OF OUTLETS | 2 |
| NUMBER OF FUNCTIONS | 2 |
| HEADWORK | Diverter and Thermostatic Cartridge |
| SWIVEL SPOUT | No |
| INLET CONNECTIONS THREAD | G3/4" |
| OUTLET CONNECTIONS THREAD | G3/4" |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-------|-------|-------|-------|---|-------|
| PRIMARY FLOWRATE | | 14.05 | 20.62 | 31.06 | 38.13 | | 50.47 |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

PRO1510LBPV

RANGE

MPRO

DESCRIPTION

MPRO 2 Handle Trimset (must be paired with WLBP25X3R) Stainless Steel Effect

WEBSITE LINK [Click Here](#)

| | |
|-----------------------|------------------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Stainless Steel Effect |
| FINISH APPLICATION | PVD |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Wall Mounted |
| PRODUCT WIDTH MM | 120 |
| PRODUCT HEIGHT MM | 215 |
| PRODUCT NET WEIGHT KG | 1.4 |


| | |
|------------------------------------|----|
| SWIVEL SPOUT | No |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-----|---|---|---|---|---|
| PRIMARY FLOWRATE | | | | | | | |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

FH684V_V2

RANGE

Shower Arm

DESCRIPTION

Shower Arm 350mm Stainless Steel Effect

WEBSITE LINK [Click Here](#)

| | |
|-----------------------|------------------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Stainless Steel Effect |
| FINISH APPLICATION | PVD |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Wall Mounted |
| PRODUCT WIDTH MM | 60 |
| PRODUCT HEIGHT MM | 95 |
| PRODUCT DEPTH MM | 342 |
| PRODUCT NET WEIGHT KG | 0.25 |


| | |
|------------------------------------|-------|
| NUMBER OF OUTLETS | 1 |
| NUMBER OF FUNCTIONS | 1 |
| INLET CONNECTIONS THREAD | G1/2" |
| OUTLET CONNECTIONS THREAD | G1/2" |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-----|---|---|---|---|---|
| PRIMARY FLOWRATE | | | | | | | |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

PRO200V_V2

RANGE

MPRO

DESCRIPTION

MPRO 200mm Fixed Head Stainless Steel Effect

WEBSITE LINK [Click Here](#)

| | |
|----------------------------|------------------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Stainless Steel Effect |
| FINISH APPLICATION | PVD |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Ceiling Mounted |
| PRODUCT WIDTH MM | 200 |
| PRODUCT HEIGHT MM | 58 |
| PRODUCT DEPTH MM | 200 |
| PRODUCT NET WEIGHT KG | 0.9 |
| MINIMUM PRESSURE (BAR) | 0.5 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|--------------|
| APPROVAL | KIWA 2312748 |
| NUMBER OF OUTLETS | 1 |
| NUMBER OF FUNCTIONS | 1 |
| INLET CONNECTIONS THREAD | G1/2" |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-------|-------|-------|-------|-------|-------|
| PRIMARY FLOWRATE | | 12.75 | 16.48 | 23.31 | 26.58 | 31.36 | 35.39 |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.




SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

PRO300V_V2

RANGE

MPRO

DESCRIPTION

MPRO 300mm Fixed Head Stainless Steel Effect

WEBSITE LINK [Click Here](#)

| | |
|----------------------------|------------------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Stainless Steel Effect |
| FINISH APPLICATION | PVD |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Ceiling Mounted |
| PRODUCT WIDTH MM | 300 |
| PRODUCT HEIGHT MM | 58 |
| PRODUCT DEPTH MM | 300 |
| PRODUCT NET WEIGHT KG | 1.9 |
| MINIMUM PRESSURE (BAR) | 0.5 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|--------------|
| APPROVAL | KIWA 2312748 |
| NUMBER OF OUTLETS | 1 |
| NUMBER OF FUNCTIONS | 1 |
| INLET CONNECTIONS THREAD | G1/2" |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-------|------|-------|-------|-------|-------|
| PRIMARY FLOWRATE | | 12.91 | 16.7 | 22.02 | 24.07 | 27.87 | 31.13 |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

SK971L

RANGE

Shower Kit

DESCRIPTION

Shower Set with Outlet Elbow Brushed Nickel

| | |
|----------------------------|----------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Brushed Nickel |
| FINISH APPLICATION | PVD |
| PRIMARY MATERIAL | Brass |
| SECONDARY MATERIAL | ABS |
| INSTALL TYPE | Wall Mounted |
| PRODUCT WIDTH MM | 111 |
| PRODUCT HEIGHT MM | 698 |
| PRODUCT DEPTH MM | 45 |
| PRODUCT NET WEIGHT KG | 1.64 |
| MINIMUM PRESSURE (BAR) | 1 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|----------------|
| APPROVAL | WRAS 240688010 |
| NUMBER OF OUTLETS | 1 |
| NUMBER OF FUNCTIONS | 3 |
| INLET CONNECTIONS THREAD | G1/2" |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | Yes |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-----|-------|-------|-------|-------|-------|
| PRIMARY FLOWRATE | | | 10.29 | 13.26 | 15.18 | 17.76 | 19.38 |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST