

PRODUCT DATA SHEET



PRODUCT CODE

WLBP1501R

RANGE

Thermo SV

DESCRIPTION

2 Way Diverter Valve Body With No Collars

WEBSITE LINK [Click Here](#)

| | |
|----------------------------|--------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Wall Mounted |
| PRODUCT WIDTH MM | 181 |
| PRODUCT HEIGHT MM | 82 |
| PRODUCT NET WEIGHT KG | 2.4 |
| MINIMUM PRESSURE (BAR) | 0.5 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|--|
| STANDARDS | BS EN 1111:2017 |
| APPROVAL | WRAS:- 2203300 KIWA Reg 4:- 2201704 KIWA TMV2:- 2203756 |
| NUMBER OF OUTLETS | 2 |
| NUMBER OF FUNCTIONS | 2 |
| HEADWORK | Diverter and Thermostatic Cartridge |
| SWIVEL SPOUT | No |
| INLET CONNECTIONS THREAD | G3/4" |
| OUTLET CONNECTIONS THREAD | G3/4" |
| WASTE INCLUDED | No |
| ANTI-SCALD | Yes |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-------|-------|-------|-------|---|-------|
| PRIMARY FLOWRATE | | 14.05 | 20.62 | 31.06 | 38.13 | | 50.47 |
| HANDSET FLOWRATE | | | | | | | |
| MESSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

PRO1701LBPM

RANGE

MPRO

DESCRIPTION

MPRO 2 Handle Trimset with Handset & Hose (must be paired with WLB-P25X31R) Matt Black

WEBSITE LINK [Click Here](#)

| | |
|----------------------------|-------------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 15 Years |
| COLOUR | Matt Black |
| FINISH APPLICATION | Immersion Plating |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Wall Mounted |
| PRODUCT WIDTH MM | 262 |
| PRODUCT HEIGHT MM | 67 |
| PRODUCT NET WEIGHT KG | 2.3 |
| MINIMUM PRESSURE (BAR) | 1 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|--------------|
| APPROVAL | KIWA 2307710 |
| NUMBER OF FUNCTIONS | 1 |
| SWIVEL SPOUT | No |
| WASTE INCLUDED | No |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | Yes |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-----|------|-------|-------|---|-------|
| PRIMARY FLOWRATE | | | | | | | |
| HANDSET FLOWRATE | | | 8.75 | 12.69 | 16.54 | | 23.69 |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

PRODUCT DATA SHEET



PRODUCT CODE

PRO0355M

RANGE

MPRO

DESCRIPTION

MPRO Bath Click Clack Waste & Filler
Matt Black

WEBSITE LINK [Click Here](#)

| | |
|----------------------------|---------------|
| CATEGORY | Brassware |
| WARRANTY DETAILS | 2 Years |
| COLOUR | Matt Black |
| FINISH APPLICATION | Powder Coated |
| PRIMARY MATERIAL | Brass |
| INSTALL TYPE | Bath Mounted |
| PRODUCT WIDTH MM | 71 |
| PRODUCT DEPTH MM | 35 |
| PRODUCT NET WEIGHT KG | 1.59 |
| MINIMUM PRESSURE (BAR) | 0.5 |
| MAX WORKING PRESSURE (BAR) | 5 |


| | |
|------------------------------------|----------|
| COLOR CODE / REFERENCE | RAL 9005 |
| NUMBER OF OUTLETS | 1 |
| SPOUT PROJECTION | 73 |
| SWIVEL SPOUT | No |
| INLET CONNECTIONS THREAD | 1/2" |
| OUTLET CONNECTIONS THREAD | 1 1/2" |
| FLOW REGULATOR | Aerator |
| WASTE INCLUDED | Yes |
| ANTI-SCALD | No |
| ENERGY SAVING | No |
| SHOWER HOSE & HANDSET ARE INCLUDED | No |

| PRESSURE (BAR) | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
|---------------------|-----|-----|---|---|---|---|---|
| PRIMARY FLOWRATE | | | | | | | |
| HANDSET FLOWRATE | | | | | | | |
| MESSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |

TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST