

# PRODUCT DATA SHEET



**PRODUCT CODE**  
WLBP3001R\_V2

**RANGE**  
Thermo SV

**DESCRIPTION**  
3 Way Diverter Valve Body With No Collars

**WEBSITE LINK** [Click Here](#)

|                            |              |
|----------------------------|--------------|
| CATEGORY                   | Brassware    |
| WARRANTY DETAILS           | 15 Years     |
| PRIMARY MATERIAL           | Brass        |
| INSTALL TYPE               | Wall Mounted |
| PRODUCT WIDTH MM           | 243          |
| PRODUCT NET WEIGHT KG      | 3            |
| MINIMUM PRESSURE (BAR)     | 1            |
| MAX WORKING PRESSURE (BAR) | 5            |



|                                    |                                                         |
|------------------------------------|---------------------------------------------------------|
| STANDARDS                          | BS EN 1111:2017                                         |
| APPROVAL                           | WRAS:- 2203300 KIWA Reg 4:- 2201704 KIWA TMV2:- 2203756 |
| NUMBER OF OUTLETS                  | 3                                                       |
| NUMBER OF FUNCTIONS                | 3                                                       |
| HEADWORK                           | Diverter and Thermostatic Cartridge                     |
| SWIVEL SPOUT                       | No                                                      |
| INLET CONNECTIONS THREAD           | G3/4"                                                   |
| OUTLET CONNECTIONS THREAD          | G3/4"                                                   |
| WASTE INCLUDED                     | No                                                      |
| ANTI-SCALD                         | Yes                                                     |
| ENERGY SAVING                      | No                                                      |
| SHOWER HOSE & HANDSET ARE INCLUDED | No                                                      |

|                     |     |     |      |      |      |      |      |
|---------------------|-----|-----|------|------|------|------|------|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1    | 2    | 3    | 4    | 5    |
| PRIMARY FLOWRATE    |     |     | 18.8 | 26.4 | 32.5 | 37.8 | 44.3 |
| HANDSET FLOWRATE    |     |     |      |      |      |      |      |
| MASSAGE FLOW RATE   |     |     |      |      |      |      |      |
| AIR FLOW RATE       |     |     |      |      |      |      |      |
| WIRE FLOW RATE      |     |     |      |      |      |      |      |
| WATERFALL FLOW RATE |     |     |      |      |      |      |      |
| MIST FLOW RATE      |     |     |      |      |      |      |      |
| HANDSPRAY FLOW RATE |     |     |      |      |      |      |      |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.




Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST



# PRODUCT DATA SHEET



**PRODUCT CODE**  
FH684F\_V2

**RANGE**  
Shower Arm

**DESCRIPTION**  
Shower Arm 350mm Brushed Brass

**WEBSITE LINK** [Click Here](#)

|                       |               |
|-----------------------|---------------|
| CATEGORY              | Brassware     |
| WARRANTY DETAILS      | 15 Years      |
| COLOUR                | Brushed Brass |
| FINISH APPLICATION    | PVD           |
| PRIMARY MATERIAL      | Brass         |
| INSTALL TYPE          | Wall Mounted  |
| PRODUCT WIDTH MM      | 60            |
| PRODUCT HEIGHT MM     | 95            |
| PRODUCT DEPTH MM      | 342           |
| PRODUCT NET WEIGHT KG | 0.25          |


|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | KIWA 2302755 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| OUTLET CONNECTIONS THREAD          | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | No           |

|                     |     |     |   |   |   |   |   |
|---------------------|-----|-----|---|---|---|---|---|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
| PRIMARY FLOWRATE    |     |     |   |   |   |   |   |
| HANDSET FLOWRATE    |     |     |   |   |   |   |   |
| MASSAGE FLOW RATE   |     |     |   |   |   |   |   |
| AIR FLOW RATE       |     |     |   |   |   |   |   |
| WIRE FLOW RATE      |     |     |   |   |   |   |   |
| WATERFALL FLOW RATE |     |     |   |   |   |   |   |
| MIST FLOW RATE      |     |     |   |   |   |   |   |
| HANDSPRAY FLOW RATE |     |     |   |   |   |   |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



PRODUCT CODE  
PRO200F\_V2

RANGE  
MPRO

DESCRIPTION  
MPRO 200mm Fixed Head Brushed Brass

WEBSITE LINK [Click Here](#)



|                            |                 |
|----------------------------|-----------------|
| CATEGORY                   | Brassware       |
| WARRANTY DETAILS           | 15 Years        |
| COLOUR                     | Brushed Brass   |
| FINISH APPLICATION         | PVD             |
| PRIMARY MATERIAL           | Brass           |
| INSTALL TYPE               | Ceiling Mounted |
| PRODUCT WIDTH MM           | 200             |
| PRODUCT HEIGHT MM          | 58              |
| PRODUCT DEPTH MM           | 200             |
| PRODUCT NET WEIGHT KG      | 0.9             |
| MINIMUM PRESSURE (BAR)     | 0.5             |
| MAX WORKING PRESSURE (BAR) | 5               |


|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | KIWA 2312748 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | No           |

|                     |     |       |       |       |       |       |       |
|---------------------|-----|-------|-------|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2 | 0.5   | 1     | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    |     | 12.75 | 16.48 | 23.31 | 26.58 | 31.36 | 35.39 |
| HANDSET FLOWRATE    |     |       |       |       |       |       |       |
| MASSAGE FLOW RATE   |     |       |       |       |       |       |       |
| AIR FLOW RATE       |     |       |       |       |       |       |       |
| WIRE FLOW RATE      |     |       |       |       |       |       |       |
| WATERFALL FLOW RATE |     |       |       |       |       |       |       |
| MIST FLOW RATE      |     |       |       |       |       |       |       |
| HANDSPRAY FLOW RATE |     |       |       |       |       |       |       |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



PRODUCT CODE  
PRO300F\_V2

RANGE  
MPRO

DESCRIPTION  
MPRO 300mm Fixed Head Brushed Brass

WEBSITE LINK [Click Here](#)

|                            |                 |
|----------------------------|-----------------|
| CATEGORY                   | Brassware       |
| WARRANTY DETAILS           | 15 Years        |
| COLOUR                     | Brushed Brass   |
| FINISH APPLICATION         | PVD             |
| PRIMARY MATERIAL           | Brass           |
| INSTALL TYPE               | Ceiling Mounted |
| PRODUCT WIDTH MM           | 300             |
| PRODUCT HEIGHT MM          | 58              |
| PRODUCT DEPTH MM           | 300             |
| PRODUCT NET WEIGHT KG      | 1.9             |
| MINIMUM PRESSURE (BAR)     | 0.5             |
| MAX WORKING PRESSURE (BAR) | 5               |


|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | KIWA 2312748 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | No           |

|                     |       |      |       |       |       |       |   |
|---------------------|-------|------|-------|-------|-------|-------|---|
| PRESSURE (BAR)      | 0.2   | 0.5  | 1     | 2     | 3     | 4     | 5 |
| PRIMARY FLOWRATE    | 12.91 | 16.7 | 22.02 | 24.07 | 27.87 | 31.13 |   |
| HANDSET FLOWRATE    |       |      |       |       |       |       |   |
| MASSAGE FLOW RATE   |       |      |       |       |       |       |   |
| AIR FLOW RATE       |       |      |       |       |       |       |   |
| WIRE FLOW RATE      |       |      |       |       |       |       |   |
| WATERFALL FLOW RATE |       |      |       |       |       |       |   |
| MIST FLOW RATE      |       |      |       |       |       |       |   |
| HANDSPRAY FLOW RATE |       |      |       |       |       |       |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



PRODUCT CODE  
PRO963F

RANGE  
MPRO

DESCRIPTION  
MPRO Shower Kit & Wall Out Brushed brass

WEBSITE LINK [Click Here](#)

|                            |               |
|----------------------------|---------------|
| CATEGORY                   | Brassware     |
| WARRANTY DETAILS           | 15 Years      |
| COLOUR                     | Brushed Brass |
| FINISH APPLICATION         | PVD           |
| PRIMARY MATERIAL           | Brass         |
| INSTALL TYPE               | Wall Mounted  |
| PRODUCT WIDTH MM           | 53            |
| PRODUCT HEIGHT MM          | 234           |
| PRODUCT DEPTH MM           | 77            |
| PRODUCT NET WEIGHT KG      | 1             |
| MINIMUM PRESSURE (BAR)     | 0.5           |
| MAX WORKING PRESSURE (BAR) | 5             |

|                                    |              |
|------------------------------------|--------------|
| APPROVAL                           | KIWA 2503723 |
| NUMBER OF OUTLETS                  | 1            |
| NUMBER OF FUNCTIONS                | 1            |
| INLET CONNECTIONS THREAD           | G1/2"        |
| WASTE INCLUDED                     | No           |
| ANTI-SCALD                         | No           |
| ENERGY SAVING                      | No           |
| SHOWER HOSE & HANDSET ARE INCLUDED | Yes          |


|                     |     |      |   |       |       |       |       |
|---------------------|-----|------|---|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2 | 0.5  | 1 | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    |     |      |   |       |       |       |       |
| HANDSET FLOWRATE    |     | 6.21 | 9 | 12.36 | 15.29 | 18.21 | 20.78 |
| MASSAGE FLOW RATE   |     |      |   |       |       |       |       |
| AIR FLOW RATE       |     |      |   |       |       |       |       |
| WIRE FLOW RATE      |     |      |   |       |       |       |       |
| WATERFALL FLOW RATE |     |      |   |       |       |       |       |
| MIST FLOW RATE      |     |      |   |       |       |       |       |
| HANDSPRAY FLOW RATE |     |      |   |       |       |       |       |

 Part of the Bathroom Brands Group

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



**PRODUCT CODE**  
BFW0370F

**RANGE**  
Bath Filler

**DESCRIPTION**  
Bath Click Clack Waste & Filler Brushed Brass

**WEBSITE LINK** [Click Here](#)

|                       |               |
|-----------------------|---------------|
| CATEGORY              | Brassware     |
| WARRANTY DETAILS      | 2 Years       |
| COLOUR                | Brushed Brass |
| FINISH APPLICATION    | PVD           |
| PRIMARY MATERIAL      | Brass         |
| INSTALL TYPE          | Bath Mounted  |
| PRODUCT WIDTH MM      | 74            |
| PRODUCT HEIGHT MM     | 74            |
| PRODUCT NET WEIGHT KG | 0.95          |


|                                      |        |
|--------------------------------------|--------|
| STANDARDS                            | EN274  |
| INLET CONNECTIONS THREAD WASTE/TRAP  | 1/2"   |
| OUTLET CONNECTIONS THREAD WASTE/TRAP | 1 1/2" |
| WASTE WATER FLOW RATE                | 60     |
| ADJUSTMENT (MIN - MAX)               | 1250   |

|                     |     |     |   |   |   |   |   |
|---------------------|-----|-----|---|---|---|---|---|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
| PRIMARY FLOWRATE    |     |     |   |   |   |   |   |
| HANDSET FLOWRATE    |     |     |   |   |   |   |   |
| MASSAGE FLOW RATE   |     |     |   |   |   |   |   |
| AIR FLOW RATE       |     |     |   |   |   |   |   |
| WIRE FLOW RATE      |     |     |   |   |   |   |   |
| WATERFALL FLOW RATE |     |     |   |   |   |   |   |
| MIST FLOW RATE      |     |     |   |   |   |   |   |
| HANDSPRAY FLOW RATE |     |     |   |   |   |   |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST