

# PRODUCT DATA SHEET



PRODUCT CODE  
CROSSBOX

RANGE  
Crossbox

DESCRIPTION  
Crossbox In Universal Rough

WEBSITE LINK [Click Here](#)

|                       |              |
|-----------------------|--------------|
| CATEGORY              | Brassware    |
| WARRANTY DETAILS      | 15 Years     |
| FINISH APPLICATION    | Raw/Natural  |
| PRIMARY MATERIAL      | Brass        |
| INSTALL TYPE          | Wall Mounted |
| PRODUCT WIDTH MM      | 166          |
| PRODUCT HEIGHT MM     | 199          |
| PRODUCT NET WEIGHT KG | 1.86         |

|                           |                |
|---------------------------|----------------|
| APPROVAL                  | KIWA - 2501751 |
| NUMBER OF OUTLETS         | 1-3            |
| INLET CONNECTIONS THREAD  | G1/2"          |
| OUTLET CONNECTIONS THREAD | G1/2"          |

|                     |     |     |   |   |   |   |   |
|---------------------|-----|-----|---|---|---|---|---|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
| PRIMARY FLOWRATE    |     |     |   |   |   |   |   |
| HANDSET FLOWRATE    |     |     |   |   |   |   |   |
| MASSAGE FLOW RATE   |     |     |   |   |   |   |   |
| AIR FLOW RATE       |     |     |   |   |   |   |   |
| WIRE FLOW RATE      |     |     |   |   |   |   |   |
| WATERFALL FLOW RATE |     |     |   |   |   |   |   |
| MIST FLOW RATE      |     |     |   |   |   |   |   |
| HANDSPRAY FLOW RATE |     |     |   |   |   |   |   |



## SPARES LIST

Only the parts labelled are available as spares.

| NUMBER | PART CODE      | DESCRIPTION                  |
|--------|----------------|------------------------------|
| 1      | E00309000000SA | Crossbox Spare Fitting Kit   |
| 2      | E25000700000SA | Crossbox Frame for Backplate |
| 3      | E25000800000SA | Crossbox Screw Kit           |

# PRODUCT DATA SHEET



**PRODUCT CODE**  
PROCBPUSH1500LBPF

**RANGE**  
Crossbox

**DESCRIPTION**  
Crossbox Push MPRO 2 Outlet Trim & Levers Brushed Brass

**WEBSITE LINK** [Click Here](#)

|                            |               |
|----------------------------|---------------|
| CATEGORY                   | Brassware     |
| WARRANTY DETAILS           | 15 Years      |
| COLOUR                     | Brushed Brass |
| FINISH APPLICATION         | PVD           |
| PRIMARY MATERIAL           | Zamac         |
| INSTALL TYPE               | Wall Mounted  |
| PRODUCT WIDTH MM           | 130           |
| PRODUCT HEIGHT MM          | 160           |
| PRODUCT NET WEIGHT KG      | 2.2           |
| MINIMUM PRESSURE (BAR)     | 0.5           |
| MAX WORKING PRESSURE (BAR) | 5             |


|                     |              |
|---------------------|--------------|
| STANDARDS           | EN 1111:2017 |
| APPROVAL            | KIWA 2011765 |
| NUMBER OF OUTLETS   | 2            |
| NUMBER OF FUNCTIONS | 2            |
| HEADWORK            | Vernet VT28  |

|                     |     |     |      |      |      |      |      |
|---------------------|-----|-----|------|------|------|------|------|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1    | 2    | 3    | 4    | 5    |
| PRIMARY FLOWRATE    |     |     | 11.3 | 16.5 | 20.5 | 23.7 | 26.5 |
| HANDSET FLOWRATE    |     |     |      |      |      |      |      |
| MASSAGE FLOW RATE   |     |     |      |      |      |      |      |
| AIR FLOW RATE       |     |     |      |      |      |      |      |
| WIRE FLOW RATE      |     |     |      |      |      |      |      |
| WATERFALL FLOW RATE |     |     |      |      |      |      |      |
| MIST FLOW RATE      |     |     |      |      |      |      |      |
| HANDSPRAY FLOW RATE |     |     |      |      |      |      |      |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

# PRODUCT DATA SHEET



PRODUCT CODE  
FH684F\_V2

RANGE  
Shower Arm

DESCRIPTION  
Shower Arm 350mm Brushed Brass

WEBSITE LINK [Click Here](#)

|                       |               |
|-----------------------|---------------|
| CATEGORY              | Brassware     |
| WARRANTY DETAILS      | 15 Years      |
| COLOUR                | Brushed Brass |
| FINISH APPLICATION    | PVD           |
| PRIMARY MATERIAL      | Brass         |
| INSTALL TYPE          | Wall Mounted  |
| PRODUCT WIDTH MM      | 340           |
| PRODUCT HEIGHT MM     | 60            |
| PRODUCT LENGTH MM     | 110           |
| PRODUCT DEPTH MM      | 20            |
| PRODUCT NET WEIGHT KG | 0.1           |


|                           |                 |
|---------------------------|-----------------|
| STANDARDS                 | BS EN 1112:2008 |
| APPROVAL                  | KIWA - 2302755  |
| NUMBER OF OUTLETS         | 1               |
| NUMBER OF FUNCTIONS       | 1               |
| SWIVEL SPOUT              | No              |
| INLET CONNECTIONS THREAD  | G1/2"           |
| OUTLET CONNECTIONS THREAD | G1/2"           |
| WASTE INCLUDED            | No              |
| ANTI-SCALD                | No              |
| ENERGY SAVING             | No              |

|                     |     |     |   |   |   |   |   |
|---------------------|-----|-----|---|---|---|---|---|
| PRESSURE (BAR)      | 0.2 | 0.5 | 1 | 2 | 3 | 4 | 5 |
| PRIMARY FLOWRATE    |     |     |   |   |   |   |   |
| HANDSET FLOWRATE    |     |     |   |   |   |   |   |
| MASSAGE FLOW RATE   |     |     |   |   |   |   |   |
| AIR FLOW RATE       |     |     |   |   |   |   |   |
| WIRE FLOW RATE      |     |     |   |   |   |   |   |
| WATERFALL FLOW RATE |     |     |   |   |   |   |   |
| MIST FLOW RATE      |     |     |   |   |   |   |   |
| HANDSPRAY FLOW RATE |     |     |   |   |   |   |   |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

SPARES AVAILABLE UPON REQUEST

# PRODUCT DATA SHEET



PRODUCT CODE  
PRO200F\_V2

RANGE  
MPRO

DESCRIPTION  
MPRO 200mm Fixed Head Brushed Brass

|                            |                              |
|----------------------------|------------------------------|
| CATEGORY                   | Brassware                    |
| WARRANTY DETAILS           | 15 Years                     |
| COLOUR                     | Brushed Brass                |
| FINISH APPLICATION         | PVD                          |
| PRIMARY MATERIAL           | Brass                        |
| INSTALL TYPE               | Wall Mounted/Ceiling Mounted |
| PRODUCT WIDTH MM           | 200                          |
| PRODUCT HEIGHT MM          | 58                           |
| PRODUCT LENGTH MM          | 200                          |
| PRODUCT NET WEIGHT KG      | 0.9                          |
| MINIMUM PRESSURE (BAR)     | 0.5                          |
| MAX WORKING PRESSURE (BAR) | 5                            |


|                          |               |
|--------------------------|---------------|
| APPROVAL                 | KIWA -2312748 |
| NUMBER OF OUTLETS        | 1             |
| NUMBER OF FUNCTIONS      | 1             |
| SWIVEL SPOUT             | No            |
| INLET CONNECTIONS THREAD | G1/2"         |
| WASTE INCLUDED           | No            |
| ANTI-SCALD               | No            |
| ENERGY SAVING            | No            |

|                     |       |       |       |       |       |       |       |
|---------------------|-------|-------|-------|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2   | 0.5   | 1     | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    | 11.16 | 12.75 | 16.48 | 23.31 | 26.58 | 31.36 | 35.39 |
| HANDSET FLOWRATE    |       |       |       |       |       |       |       |
| MASSAGE FLOW RATE   |       |       |       |       |       |       |       |
| AIR FLOW RATE       |       |       |       |       |       |       |       |
| WIRE FLOW RATE      |       |       |       |       |       |       |       |
| WATERFALL FLOW RATE |       |       |       |       |       |       |       |
| MIST FLOW RATE      |       |       |       |       |       |       |       |
| HANDSPRAY FLOW RATE |       |       |       |       |       |       |       |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

# PRODUCT DATA SHEET



PRODUCT CODE  
PRO300F\_V2

RANGE  
MPRO

DESCRIPTION  
MPRO 300mm Fixed Head Brushed Brass

WEBSITE LINK [Click Here](#)



|                            |                              |
|----------------------------|------------------------------|
| CATEGORY                   | Brassware                    |
| WARRANTY DETAILS           | 15 Years                     |
| COLOUR                     | Brushed Brass                |
| FINISH APPLICATION         | PVD                          |
| PRIMARY MATERIAL           | Brass                        |
| INSTALL TYPE               | Wall Mounted/Ceiling Mounted |
| PRODUCT WIDTH MM           | 300                          |
| PRODUCT HEIGHT MM          | 58                           |
| PRODUCT NET WEIGHT KG      | 2.4                          |
| MINIMUM PRESSURE (BAR)     | 0.5                          |
| MAX WORKING PRESSURE (BAR) | 5                            |



|                          |                |
|--------------------------|----------------|
| APPROVAL                 | KIWA - 2312748 |
| NUMBER OF OUTLETS        | 1              |
| NUMBER OF FUNCTIONS      | 1              |
| INLET CONNECTIONS THREAD | G1/2"          |
| WASTE INCLUDED           | No             |
| ANTI-SCALD               | No             |
| ENERGY SAVING            | No             |

|                     |     |       |      |       |       |       |       |
|---------------------|-----|-------|------|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2 | 0.5   | 1    | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    |     | 12.91 | 16.7 | 22.02 | 24.07 | 27.87 | 31.13 |
| HANDSET FLOWRATE    |     |       |      |       |       |       |       |
| MASSAGE FLOW RATE   |     |       |      |       |       |       |       |
| AIR FLOW RATE       |     |       |      |       |       |       |       |
| WIRE FLOW RATE      |     |       |      |       |       |       |       |
| WATERFALL FLOW RATE |     |       |      |       |       |       |       |
| MIST FLOW RATE      |     |       |      |       |       |       |       |
| HANDSPRAY FLOW RATE |     |       |      |       |       |       |       |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

NO SPARES AVAILABLE

PRODUCT DATA SHEET



PRODUCT CODE  
PRO963F

RANGE  
MPRO

DESCRIPTION  
MPRO Shower Kit & Wall Out Brushed brass



|                            |               |
|----------------------------|---------------|
| CATEGORY                   | Brassware     |
| WARRANTY DETAILS           | 15 Years      |
| COLOUR                     | Brushed Brass |
| FINISH APPLICATION         | PVD           |
| PRIMARY MATERIAL           | Brass         |
| INSTALL TYPE               | Wall Mounted  |
| PRODUCT WIDTH MM           | 50            |
| PRODUCT HEIGHT MM          | 988.5         |
| PRODUCT LENGTH MM          | 77            |
| PRODUCT NET WEIGHT KG      | 1             |
| MINIMUM PRESSURE (BAR)     | 0.5           |
| MAX WORKING PRESSURE (BAR) | 5             |


|                          |                |
|--------------------------|----------------|
| APPROVAL                 | KIWA - 2503723 |
| NUMBER OF OUTLETS        | 1              |
| NUMBER OF FUNCTIONS      | 1              |
| SWIVEL SPOUT             | No             |
| INLET CONNECTIONS THREAD | G1/2"          |
| WASTE INCLUDED           | No             |
| ANTI-SCALD               | No             |
| ENERGY SAVING            | No             |

|                     |     |      |   |       |       |       |       |
|---------------------|-----|------|---|-------|-------|-------|-------|
| PRESSURE (BAR)      | 0.2 | 0.5  | 1 | 2     | 3     | 4     | 5     |
| PRIMARY FLOWRATE    |     |      |   |       |       |       |       |
| HANDSET FLOWRATE    |     | 6.21 | 9 | 12.36 | 15.29 | 18.21 | 20.78 |
| MASSAGE FLOW RATE   |     |      |   |       |       |       |       |
| AIR FLOW RATE       |     |      |   |       |       |       |       |
| WIRE FLOW RATE      |     |      |   |       |       |       |       |
| WATERFALL FLOW RATE |     |      |   |       |       |       |       |
| MIST FLOW RATE      |     |      |   |       |       |       |       |
| HANDSPRAY FLOW RATE |     |      |   |       |       |       |       |

## TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

| NUMBER | PART CODE | DESCRIPTION                                         |
|--------|-----------|-----------------------------------------------------|
| 1      | SHCVF     | Inline Shower Check Valve Brushed Brass 1/2"M 1/2"F |