


Technical Data Sheet

Nexus 1200mm Complete Unit

Whats in the box: 1x DC12040 & DC12041 or DC12042 & DC12043 + Fixings + Handles

Note: Left Hand unit shown.
Reverse dimensions for Right Hand unit.




*Reference Basin, SCT & BTW individually for material and FAQ information.

Technical Data Sheet

Nexus 600mm Back-To-Wall Unit

Whats in the box: 1x DC12041 or DC12043 + Fixings

TAVISTOCK
inspiring bathrooms



Diagrams not to scale
All dimensions in mm
tolerance of +/-5mm

Materials

Carcass: 16mm Painted MDF or 18mm MFC for wood finish.

Fascia Components: 16mm Painted MDF or 18mm MFC for wood finish.

****Dimensions** are subject to change, customers are advised to measure actual product before commencing installation.

*****Fixing point dimensions** are for guidance only/the positions of wall fixing must be checked when product is received.

FAQs

Q: Does the unit come supplied with a worktop?

A: No, unit is designed to be used with a Semi -Counter Top and L-Shaped Basin.

Q: Can a wall hung pan frame be used inside this unit?

A: Yes a standard wall hung frame can be used.

Q: Can a comfort height pan be used with this unit?

A: Yes, providing a comfort height cistern is used.

Q: Do the fascias come pre-cut?

A: No, suitable holes for the pan and cistern buttons should be cut by the fitters. Any cuts or holes should be re-sealed to prevent any moisture ingress.

Q: Are the fascias removable?

A: Yes. They are on quick release clips.




NOTE: No RAL Code available

Technical Data Sheet

Nexus 600mm Semi-Counter Top Unit

Whats in the box: 1x DC12040 or DC12042 + Fixings + Handles

TAVISTOCK
inspiring bathrooms



Diagrams not to scale
All dimensions in mm
tolerance of +/-5mm

Materials

Carcass: 16mm Painted MDF or 18mm MFC for wood finish.

Fascia Components: 16mm Painted MDF or 18mm MFC for wood finish.

**Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

***Fixing point dimensions are for guidance only/the positions of wall fixing must be checked when product is received.

FAQs

Q: How big is the plumbing void?

A: 75mm

Q: Are the handles fitted?

A: No, handles needs fixing. Use pilot holes provided.

Q: Can I use different handles?

A: Yes, other handle hole centres can be drilled by the fitter.

Q: Are the hinges soft close?

A: Yes, the runners are soft close.

Q: How deep is the unit with door open?

A: Approx depth with 90° hinge 580mm.

Q: Can the doors be adjusted?

A: The door can be adjusted as detailed in the supplied instructions

Q: Is the shelf removable?

A: Yes, there is one removable shelf.

Q: What is the shelf depth?

A: Shelf max depth: 229mm.

Q: How many shelves are there?

A: There is one shelf and a base within the unit.

Q: Is the shelf adjustable?

A: No, the shelf isn't adjustable.

Q: What is the interior finish of the unit?

A: The unit interior is the same finish as the exterior.

Q: How far apart are the hole centres for the handles?

A: 128mm

NOTE: No RAL Code available