TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Large Round Backplate, 7 Colours

TOG-RND-XX

Thirty Eight Degrees

5 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Togo 2/3 Outlet Digital Shower
Material	Brass controls, s/steel plate
Connection Size	1/2" BSP inlets; 1/2" BSP outlets

CODE(S) & FINSHES

TOG-RND-BB	Brushed Brass
TOG-RND-BN	Brushed Nickel
TOG-RND-BR	Brushed Bronze
TOG-RND-CH	Chrome
TOG-RND-GG	Gunmetal Grey
TOG-RND-MB	Matt Black
TOG-RND-MW	Matt White

PACK CONTENTS

Circular Backplate (fit vertically or horizontally)
Controls pack (button and screen) with colour-matched trims
Digital processor mixing box
Digital divertor
Cables
Power supply

TECHNICAL INFORMATION

Connecting pipework not supplied.
40mm min wall depth for controls.
Min 42mm diameter holes in wall required for controls.
Cables to be installed in conduit for future maintenance access.

FLOW RATES

Pressure (Bar)	Flow Rate (L/min)
0.2	6.9
0.5	11.2
1	16.4
2	24.5
2.5	27.7

DIAGRAM of CONTROLS



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Large Round Backplate, 7 Colours

TOG-RND-XX

Thirty Eight Degrees

5 YEARS WARRANTY

The illustration shows a typical loft-mounted installation, where the Diverter and Processor/ Mixing Box are concealed in the loft.

IMPORTANT INSTALLATION INFORMATION:

Power Cable Protection:
Ensure the power cable is installed within a conduit for protection and easy access.

Processor Accessibility:
The processor must remain accessible at all times.

Connecting the Wireless Button:

- Completely power off the digital system: Unplug it from the wall, then immediately plug it back in, or
- Remove the fuse from the spur and immediately replace it.
- Quickly press the wireless button twice and wait for several seconds.
- Press the wireless button again. It should now be paired with the system.



TED DIGITAL PROCESSOR/MIXING BOX



TED DIGITAL DIVERTER



System Connection Diagram



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Square Backplate, 7 Colours

TOG-SQV-XX

Thirty Eight Degrees

5 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Togo 2/3 Outlet Digital Shower
Material	Brass controls, s/steel plate
Connection Size	1/2" BSP inlets; 1/2" BSP outlets

CODE(S) & FINSHES

TOG-SQV-BB	Brushed Brass
TOG-SQV-BN	Brushed Nickel
TOG-SQV-BR	Brushed Bronze
TOG-SQV-CH	Chrome
TOG-SQV-GG	Gunmetal Grey
TOG-SQV-MB	Matt Black
TOG-SQV-MW	Matt White

PACK CONTENTS

Square Backplate (fit vertically or horizontally)
Controls pack (button and screen) with colour-matched trims
Digital processor mixing box
Digital divertor
Cables
Power supply

TECHNICAL INFORMATION

Connecting pipework not supplied.
40mm min wall depth for controls.
Min 42mm diameter holes in wall required for controls.
Cables to be installed in conduit for future maintenance access.

FLOW RATES

Pressure (Bar)	Flow Rate (L/min)
0.2	6.9
0.5	11.2
1	16.4
2	24.5
2.5	27.7

DIAGRAM of CONTROLS



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Square Backplate, 7 Colours

TOG-SQV-XX

Thirty Eight Degrees

5 YEARS WARRANTY

The illustration shows a typical loft-mounted installation, where the Diverter and Processor/ Mixing Box are concealed in the loft.

IMPORTANT INSTALLATION INFORMATION:

Power Cable Protection:
Ensure the power cable is installed within a conduit for protection and easy access.

Processor Accessibility:
The processor must remain accessible at all times.

Connecting the Wireless Button:

- Completely power off the digital system: Unplug it from the wall, then immediately plug it back in, or
- Remove the fuse from the spur and immediately replace it.
- Quickly press the wireless button twice and wait for several seconds.
- Press the wireless button again. It should now be paired with the system.



TED DIGITAL PROCESSOR/MIXING BOX



TED DIGITAL DIVERTER



System Connection Diagram



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Oval Backplate, 7 Colours

TOG-OVV-XX

Thirty Eight Degrees

5 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Togo 2/3 Outlet Digital Shower
Material	Brass controls, s/steel plate
Connection Size	1/2" BSP inlets; 1/2" BSP outlets

CODE(S) & FINSHES

TOG-OVV-BB	Brushed Brass
TOG-OVV-BN	Brushed Nickel
TOG-OVV-BR	Brushed Bronze
TOG-OVV-CH	Chrome
TOG-OVV-GG	Gunmetal Grey
TOG-OVV-MB	Matt Black
TOG-OVV-MW	Matt White

PACK CONTENTS

Oval Backplate (fit vertically or horizontally)
Controls pack (button and screen) with colour-matched trims
Digital processor mixing box
Digital divertor
Cables
Power supply

TECHNICAL INFORMATION

Connecting pipework not supplied.
40mm min wall depth for controls.
Min 42mm diameter holes in wall required for controls.
Cables to be installed in conduit for future maintenance access.

FLOW RATES

Pressure (Bar)	Flow Rate (L/min)
0.2	6.9
0.5	11.2
1	16.4
2	24.5
2.5	27.7

DIAGRAM of CONTROLS



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Oval Backplate, 7 Colours

TOG-OVV-XX

Thirty Eight Degrees

5 YEARS WARRANTY

The illustration shows a typical loft-mounted installation, where the Diverter and Processor/ Mixing Box are concealed in the loft.

IMPORTANT INSTALLATION INFORMATION:

Power Cable Protection:
Ensure the power cable is installed within a conduit for protection and easy access.

Processor Accessibility:
The processor must remain accessible at all times.

Connecting the Wireless Button:

- Completely power off the digital system: Unplug it from the wall, then immediately plug it back in, or
- Remove the fuse from the spur and immediately replace it.
- Quickly press the wireless button twice and wait for several seconds.
- Press the wireless button again. It should now be paired with the system.



TED DIGITAL PROCESSOR/MIXING BOX



TED DIGITAL DIVERTER



System Connection Diagram



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Ring Backplates, 7 Colours

TOG-RING-XX

Thirty Eight Degrees

5 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Togo 2/3 Outlet Digital Shower
Material	Brass controls, brass rings
Connection Size	1/2" BSP inlets; 1/2" BSP outlets

CODE(S) & FINSHES

TOG-RING-BB	Brushed Brass
TOG-RING-BN	Brushed Nickel
TOG-RING-BR	Brushed Bronze
TOG-RING-CH	Chrome
TOG-RING-GG	Gunmetal Grey
TOG-RING-MB	Matt Black
TOG-RING-MW	Matt White

PACK CONTENTS

Ring Backplates (fit vertically or horizontally)
Controls pack (button and screen) with colour-matched trims
Digital processor mixing box
Digital divertor
Cables
Power supply

TECHNICAL INFORMATION

Connecting pipework not supplied.
40mm min wall depth for controls.
Min 34mm diameter holes in wall required for controls.
Cables to be installed in conduit for future maintenance access.

FLOW RATES

Pressure (Bar)	Flow Rate (L/min)
0.2	6.9
0.5	11.2
1	16.4
2	24.5
2.5	27.7

DIAGRAM of CONTROLS



TECHNICAL DATA SHEET

Togo 2/3 Outlet Digital Shower, Ring Backplates, 7 Colours

TOG-RING-XX

Thirty Eight Degrees

5 YEARS WARRANTY

The illustration shows a typical loft-mounted installation, where the Diverter and Processor/ Mixing Box are concealed in the loft.

IMPORTANT INSTALLATION INFORMATION:

Power Cable Protection:
Ensure the power cable is installed within a conduit for protection and easy access.

Processor Accessibility:
The processor must remain accessible at all times.

Connecting the Wireless Button:

- Completely power off the digital system: Unplug it from the wall, then immediately plug it back in, or
- Remove the fuse from the spur and immediately replace it.
- Quickly press the wireless button twice and wait for several seconds.
- Press the wireless button again. It should now be paired with the system.



TED DIGITAL PROCESSOR/MIXING BOX



TED DIGITAL DIVERTER



System Connection Diagram



TECHNICAL DATA SHEET

Wall Arm 350mm, 6 Colours

WA350-XX

10 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Wall Mounted Shower Arm
Material	Brass
Connection Size	1/2"

CODE(S) & FINISHES

WA350-BB	Brushed Brass
WA350-BN	Brushed Nickel
WA350-BR	Brushed Bronze
WA350-CH	Chrome
WA350-GG	Gunmetal Grey
WA350-MB	Matt Black

TECHNICAL INFORMATION

Wall Mounted Shower Arm

Requires backplate elbow in wall with 1/2" female thread.

PACK CONTENTS

Wall Mounted Shower Arm
Concealing Flange

DIAGRAM



TECHNICAL DATA SHEET

Ceiling Arm 150mm, 6 Colours

CA150-XX

Thirty Eight Degrees

10 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Ceiling Mounted Shower Arm
Material	Brass
Connection Size	1/2"

CODE(S) & FINSHES

CA150-BB	Brushed Brass
CA150-BN	Brushed Nickel
CA150-BR	Brushed Bronze
CA150-CH	Chrome
CA150-GG	Gunmetal Grey
CA150-MB	Matt Black

TECHNICAL INFORMATION

Ceiling Mounted Shower Arm

Drill Hole Diameter Ø30-32mm

PACK CONTENTS

Ceiling Mounted Shower Arm

DIAGRAM



TECHNICAL DATA SHEET

Round Rain Shower Head, 6 Colours

FH250-XX

Thirty Eight Degrees

10 YEARS WARRANTY

TECHNICAL INFORMATION

Round Rain Shower Head
1/2" BSP Female Connection with Ball Joint
Rub Clean Nozzles

FLOW RATE

Pressure (Bar)	Flow Rate (L/min)
0.5	7.1
1	10.7
2	15.4
3	19.2
4	22.2
5	22.5

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Shower Head
Material	Brass
Connection Size	1/2"

CODE(S) & FINISHES

FH250-BB	Brushed Brass
FH250-BN	Brushed Nickel
FH250-BR	Brushed Bronze
FH250-CH	Chrome
FH250-GG	Gunmetal Grey
FH250-MB	Matt Black

PACK CONTENTS

Round Rain Shower Head

DIAGRAM



TECHNICAL DATA SHEET

Round Hand Shower Set, 6 Colours

RHSS-XX

10 YEARS WARRANTY

SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Round Hand Shower Set
Material	Brass
Connection Size	1/2"

CODE(S) & FINISHES

RHSS-BB	Brushed Brass
RHSS-BN	Brushed Nickel
RHSS-BR	Brushed Bronze
RHSS-CH	Chrome
RHSS-GG	Gunmetal Grey
RHSS-MB	Matt Black

PACK CONTENTS

Bracket with outlet and swivel
Decorative collar
Pencil handset
Colour matched spiral hose

TECHNICAL INFORMATION

Round Hand Shower Set
Bracket with integrated outlet elbow
Swivel bracket

FLOW RATE

Pressure (Bar)	Flow Rate (L/min)
0.5	7.1
1	10.7
2	15.4
3	19.2
4	22.0
5	22.1

DIAGRAM



TECHNICAL DATA SHEET

Slimline Overflow Bath Filler, 5 Colours

OFBF-XX

Thirty Eight Degrees

10 YEARS WARRANTY



SPECIFICATION

Brand	TED Digital
Range	Showering
Product Type	Overflow Bath Filler
Material	Brass
Connection Size	1/2" inlet; 1 1/2" outlet

CODE(S) & FINISHES

OFBF-BB	Brushed Brass
OFBF-BN	Brushed Nickel
OFBF-CH	Chrome
OFBF-GG	Gunmetal Grey
OFBF-MB	Matt Black

PACK CONTENTS

Clicker Waste
Overflow filler with one inlet elbow fitted
Overflow to waste tube (transparent reinforced)
Additional inlet elbow for hot/cold inlets

DIAGRAM



TECHNICAL INFORMATION

Overflow bath filler & click clack waste
630mm long overflow tube
Additional inlet elbow for hot/cold inlets

FLOW RATE

Pressure (Bar)	Flow Rate (L/min)
0.2	6.9
0.5	11.2
1	16.4
2	24.5
2.5	27.7