LAUFEN

REF: H9001160040001



INEO

Flush Plate INEO MOONDANCE, Dual Flush

COLOUR AND FINISH

004 Chromed

KEY FEATURES

- In premium bathrooms, where every detail matters, the flush plate contributes to the overall aesthetic and experience.
- Therefore, the LAUFEN flush plate portfolio offers a great variety of visual desgins.The portfolio offers many finishings and materials too, to find a matching model to every bathroom interior design imaginable.
- A well-crafted LAUFEN MOONDANCE flush plate provides tactile feedback that enhances the user experience. The surface's touch, the button's gentle resistance to pressure, and the sound of actuation all reflect attention to detail
- Its intuitive design, utilizing quick fasteners and a mechanical push-cable activation system with bayonet coupling, allows for the attachment and removal without specialized equipment and and thus is faster and more efficient to set up than conventional plates.
- After installation, this also simplifies maintenance, as access to internal components of the cistern is convenient and hassle-free.

SPECIFICATION TEXT

Dual flush WC operating plate
Cable connection to the flush valve with bayonet coupling, two cables
Installation without tools
Suitable for front and top acitvation

MOUNTING ACCESSORIES INCLUDED

Fastening material included

MOUNTING ACCESSORIES EXCLUDED


Optional:
H9751550000001 INSTALLATION FRAME for plates in 203 x 145

Net weight (kg) : 0.26

Number of buttons : 2

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/flush-plate-ineo-moondance-dual-flush-H900116...0001?sku=H9001160040001

TECHNICAL DRAWINGS



© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/flush-plate-ineo-moondance-dual-flush-H900116...0001?sku=H9001160040001

COMPATIBLE WITH



Combipack wall-hung WC H821331, Silent flush/'rimless', washdown, without flushing rim, incl. seat and cover with lowering system

H866331...0001



Wall-hung WC Silent flush, washdown, without flushing rim

H821331...0001



Wall-hung WC 'rimless', washdown, without flushing rim

H820337...0001



Combipack wall-hung WC H820337, washdown, 'rimless' without flushing rim, incl. seat and cover with lowering system

H866330...0001



Wall-hung WC 'compact', washdown, rimless

H820333...0001



Combipack wall-hung WC H820333 'compact', washdown, rimless, with seat and cover slim with lowering system

H866333...0001



Floorstanding WC 'rimless', washdown, without flushing rim, outlet horizontal/vertical

H823337...0001



INEOLINK slim (90 mm) concealed cistern for wall-hung WC and shower WC

H9201100000001



INEOLINK concealed cistern for wall-hung WC

H9201140000001



INEOLINK concealed cistern for wall-hung WC and shower WC

H9201150000001




INEOLINK brickwall concealed cistern for floor-standing WC

H9261010000001

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/flush-plate-ineo-moondance-dual-flush-H900116...0001?sku=H9001160040001









© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/flush-plate-ineo-moondance-dual-flush-H900116...0001?sku=H9001160040001




INEO

INEO, a proven and well established installation system “made in Germany”, puts LAUFEN’s premium quality and convenience behind the wall too. The system with its prefabricated parts offers clever solutions for fast and uncomplicated installation for new construction or refurbishment.

© Copyright 2026, LAUFEN Bathrooms AG | https://www.laufen.com/products/flush-plate-ineo-moondance-dual-flush-H900116...0001?sku=H9001160040001

INEO INSTALLATION SYSTEM

Actuator plate, dual flush
INEO MOONDANCE
H900116



TECHNICAL DATA

Order no.	H900116
matching for	Concealed frames with cistern INEOLINK
Dimensions	203 x 145 x 6 mm
Specification	For front operation or operation from above. Suitable for flush installation. For concealed cistern with Dual-Flush system.
Quality material	Plastic
Weight	0,3 kg
Mounting acc. incl.	Fastening set
Mounting acc. excl.	installation frame for flush installation, order no. H975155
Otherwise	For flush installation, the installation frame is required and must be ordered separately.

Colours	000 – White
	004 – Chrome
	007 – Chrom matt
	716 – Black matt

TECHNICAL DRAWINGS / S 1 : 10

